



Troughs – South Island

R:08 January 2009

PRECAST REINFORCED CONCRETE

APPLICATIONS

- Stock water.

UNIQUE BENEFITS

- Durability.
- Strength.
- Pipe work protected from frost.
- Proven History.

INTRODUCTION


Hynds have a wide range of troughs. Our concrete troughs are constructed out of precast reinforced concrete with a variety to suit most applications. Hynds also provide a range of trough accessories needed to complete your project.

Notes:


- Location of manufacturing differs with trough models. Please ask when making enquiries.
- The TC200WVPV & TC350WVPV come complete with an extra flow apex 32mm float valve fitted in place (bottom outlet).
- The TR200SI & TR350SI come complete with a apex 25mm full flow arm valve and 150mm float (top outlet).

AREA(S) OF PRODUCT AVAILABILITY:

Product available in
ALL REGIONS



South Island Cattle Troughs						
Code	Description	Diameter	Height	Inlet	Weight	Manufactured
TC130SI	500l concrete circular trough w lid	1500mm	410mm	20mm	537kg	AMB
TR200SI	900l concrete circular trough w lid, valve + float	2000mm	410mm	25mm	936kg	CHC
TC200WVPV	900l concrete circular trough w lid, valve + float	1950mm	400mm	32mm	825kg	WNT
TR350SI	1500l concrete circular trough w lid, valve + float	2000mm	680mm	25mm	1240kg	CHC
TC350WVPV	1500l concrete circular trough w lid, valve + float	1950mm	640mm	32mm	1225kg	WNT



TC350WVPV - round cattle trough and ballcock protector cover.

HYNDS BRANCHES

TECHNICAL SERVICES DEPARTMENT:

Ph: 09 274 0316 Fax: 09 274 8393
techservice@hynds.co.nz
0800 WE PIPE (93 7473)

NORTHERN REGION

Whangarei 09 438 7305
Warkworth 09 425 9837
Albany 09 415 9259
Avondale 09 820 0122
Penrose 09 579 5605
Manukau 09 273 3053
Pukekohe 09 237 1274

CENTRAL REGION

Hamilton 07 847 3193
Tauranga 07 575 5791
Rotorua 07 346 0454
Te Kuiti 07 878 8326
Taupo 07 378 9915

CAPITAL REGION

Hastings 06 879 8989
New Plymouth 06 759 8157
Palmerston North 06 357 2638
Masterton 06 370 0700
Kapiti 04 297 0689
Petone 04 568 0933
Kaiwharawhara 04 472 4172

SOUTH ISLAND REGION

Nelson 03 543 8330
Amberley 03 314 8455
Christchurch 03 344 3500
Oamaru 03 434 3062
Cromwell 03 445 4760
Winton (Southland) 03 236 6044

Disclaimer: Users of the Hynds products and/or information within this document must make their own assessment for suitability for their particular circumstances. Product dimensions and specifications may vary according to factory of manufacture or changes due to product improvements. No warranty is neither expressed nor implied nor statutory is made by Hynds in this document unless expressly stated in any sale and purchase agreement entered into between Hynds and the user.

General Troughs

PRECAST REINFORCED CONCRETE

South Island Sheep Troughs							
Code	Description	Length	Height	Width	Inlet	Weight	Manufactured
TS060SI	275l concrete oblong trough incl lid	1920mm	270mm	690mm	20mm	358kg	AMB
TS060WT	275l concrete oblong trough incl lid	1880mm	340mm	700mm	20mm	450kg	WNT
TS070SI	320l concrete oblong trough incl lid	2130mm	420mm	535mm	20mm	302kg	AMB
TS120SI	545l concrete oblong trough incl lid	2745mm	460mm	635mm	20mm	532kg	AMB



TS060WT



TPIGLMC + TPIGCMC

South Island Pig Troughs							
Code	Description	Length	Height	Width	Inlet	Weight	Manufactured
TPIGLMC	Large concrete oblong trough	1830mm	230mm	405mm	20mm	110kgs	AMB
TPIGMMC	Medium concrete oblong trough	1370mm	230mm	405mm	20mm	80kg	AMB
TPIGSMC	Small concrete oblong trough	915mm	230mm	405mm	20mm	55kg	AMB
TPIGCMC	Concrete lid for oblong troughs	-	-	-	-	38kgs	AMB
TPIGSWIN	Standard concrete oblong trough	1100mm	200mm	340mm	20mm	120kg	WNT



TD020SI

South Island Deer Troughs							
Code	Description	Diameter	Height	Inlet	Weight	Manufactured	
TD020SI	90l concrete circular trough incl lid	815mm	380mm	20mm	220kg	AMB	
TD020WT	90l concrete circular trough incl lid	815mm	380mm	20mm	250kg	WNT	
TD040SI	180l concrete circular trough incl lid	1120mm	380mm	20mm	384kg	AMB	



TF2400W

South Island Feed Troughs						
Code	Description	Length	Height	Width	Weight	Manufactured
TF2400W	Large concrete oblong feed trough	2400mm	600mm	1500mm	1750kg	WNT
TF2400WE	Large concrete oblong feed trough w end	2400mm	600mm	1500mm	2160kg	WNT
TF2400AM	Large concrete oblong feed trough	2400mm	610mm	810mm	562kg	AMB
TF2400.2	Small concrete oblong feed trough	2400mm	500mm	700mm	600kg	WNT
TF2400.2E	Small concrete oblong feed trough w end	2400mm	500mm	700mm	840kg	WNT



TPIGSMC



DOGBOWLMC

South Island - Other Troughs						
Code	Description	Length	Height	Width	Weight	Manufactured
TCALFMC	Small concrete oblong trough	585mm	230mm	380mm	42kg	AMB
Code	Description	Diameter	Height	Weight	Manufactured	
DOGBOWLMC	Standard concrete circular bowl	300mm	150mm	25kg	AMB	



TR200SI & TR350SI



TC200WVPV, TC350WVPV – Valve chamber set up



TR350SI