


RURAL

Sales Booklet



hyndsrural.co.nz **rural@hynds**.co.nz



Rural Specialists

Hynds are committed to providing innovative, quality, long life products which satisfy environmental compliance regulations and meet the needs of the rural community.

We offer a wide variety of water reticulation, land drainage, access ways, effluent management and water and waste domestic products. We are able to supply solutions for many areas on farm and offer bespoke concrete product options too.

For further information on our product range:

- Contact your nearest branch
- Visit the rural pages of our website www.hyndsrural.co.nz
- Scan the QR codes with your smartphone or tablet to view the product technical sheets

Hynds Pipe Systems Limited is an award winning New Zealand manufacturer and merchant which has been providing a comprehensive range of drainage, watermain, and rural products to civil and rural infrastructure markets since 1973. Hynds has 36 branches nationwide and an experienced team to help with your next infrastructure project.

Drainage, Wastewater, Stormwater, Watermain and Rural products to civil and rural customers since 1973.



Contact us:



hyndsrural.co.nz



rural@hynds.co.nz



Find us on Facebook @hyndsrural



CONTENTS

Water Reticulation	6
Stock Water Systems	7
Concrete Troughs	8
Plastic Troughs	9
Valves and Fittings	10
Low Density PE Pipe	11
Pressure PE Pipe	12
Rural Pumps and UV Filtration	13
Water Storage Plastic Tanks	14
Land Drainage	15
FarmBoss®	16
PKS Supaduct Rural	17
Farmgrade Concrete Culvert	18
FlumeBoss	19
Laylite Culverts and Fluming	20
Land Drainage Solutions	21
Wingwalls	22
Well Liners and Soak Rings	23
Access Ways	24
Hystop Cattlestop	25
Box Underpass	26
Driftdeck System	27
Irrigator Wheel Crossing Slab	28
Landspan Bridge System	29
Landspan Deck Slab Bridge	30
Loading Ramps	31

Effluent Management	32
Stonetraps	33
Effluent Wedge	34
Hystor Storage Bunker	35
Hypond®	36
Megapond®	37
Farmflow® Effluent Pipe	38
Domestic	39
Concrete Septic Tank	40
Lifestyle Septic Tank System	41
X-Perco® (Passive System)	42
FujiClean ACENZ1500	43
Kill/storage shed	44
Branch Contact Details	46

WATER RETICULATION

Hynds Rural provides a selection of water reticulation products, covering everything you need to ensure your livestock has ample water supply. We offer troughs, fittings, pipe, pumps, tanks and more. Our free bespoke design service also takes the hassle away.

Stock Water Systems



Hynds can provide everything you need for a new stock water system on your farm, right down to the design.

Hynds have a specialised in-house designer, who can provide a free site visit to get your bespoke design underway. We work with each customer individually as we know, no two farms are the same.

We ensure all the bases are covered by providing a full quote, from the trough to the tank and everything in between.

Contact your local branch today, or email rural@hynds.co.nz

What we consider

- Climate
- Elevation
- Herd type in size
- Paddock sizes
- Water source
- Accessibility







Concrete Troughs



Hynds Concrete Troughs are available in a variety of sizes and shapes. Catering for a range of stock and suitable for use on lifestyle properties to multi-operational farms.

Constructed from precast fibre concrete, they are designed to endure harsh conditions and withstand stock interference. Whether using our protected or unprotected versions, these troughs ensure maximum flow and ease of installation.

FEATURES

250-1500 litre capacities

Protected/

Unprotected options

Round/Oblong options

Dual entry

25mm inlets

Drain plug for easy cleaning



Plastic Troughs



Lightweight and easy to shift around paddocks. Great for lifestyle blocks, run off blocks and temporary grazing.

Float protection fitted and rounded edges prevent harm to animals. These troughs offer a neat solution to breakfeed applications.

FEATURES

Various sizes and shapes available to suit different stock requirements.



Valves and Fittings



Hynds stock a full range of fittings in PVC, galvanised, brass, OD and ID pipe.

Hynds has something to suit your needs, no matter how big or small your project.

FEATURES

Trough valves

Foot valves

Check valves


Tank valves

Ball valves

Gate valves



Low Density PE Pipe



The range includes LD pipe and Lateral tube which are all ideal for any irrigation application for horticulture and farm.



FEATURES

Economical and durable

Size ID Ø15 - 50mm

Coil length 25, 50, 100 and 200m

Variety of uses from reticulation to irrigation.



Pressure PE Pipe



Our PE pressure pipe is strong, durable and extremely versatile.


Manufactured in New Zealand, we offer a complete range of polyethylene pipe lengths and sizes, along with our comprehensive selection of OD fittings. Our products ensure easy and quick assembly, making them suitable for various applications due to their lightweight and resilient nature.

FEATURES

Strong and durable Versatile and flexible OD Ø25 - 63mm

Bar rating from 6.3 - 12.5

Coil length 50, 100 and 200m





Rural Pumps and UV Filtration



Hynds offers a range of quality pumps and filtration products to suit a variety of applications.

Solar borehole kits, calf milk pumps, domestic pressure pumps and irrigation pumps. Domestic and commercial RO filtration. filters and consumables. Water softeners and also UV and tank water treatment.



Water Storage Plastic Tanks



Hynds offers a range of above ground polyethylene tanks.

With a wide selection of colours and storage capacities these tanks suit all applications.

FEATURES

600-30,000 litre options

Durable and lightweight

20 Year warranty

Free delivery



LAND DRAINAGE

Full range of solutions to suit on farm needs to improve your gateways, boggy paddocks and improve your run off areas.

FarmBoss®



FarmBoss® is an extruded twin wall PE and PP pipe that ticks all the boxes when it comes to tough rural drainage applications.

Featuring a smooth internal bore and a load defeating corrugated exterior wall. Is light to carry and effortless to install.

Available with a rubber ring for a fully sealed system which is ideal for leech free requirements.

FEATURES

ID Ø225 – 450mm 6m effective length Socketed one end Lightweight NZ made



Supaduct Rural



Supaduct Rural represents a revolutionary product, ready to save you time and money.

Its robust design enables higher load capacities, while maintaining its lightweight profile. Featuring a durable ribbed exterior, and chemically resistance internal smooth bore.

Sold in working lengths and by internal diameter, to assist with ease of planning and installation. Made from reprocessed raw HDPE and recycles PE plastics, this culvert is rated SN4 therefore, is tough and ready for any application.

FEATURES

5.8m Effective length

Easy to install

NZ made

Size available ID Ø500 - 2500mm

SN8 option available



Farmgrade Concrete Culvert



Hynds manufactures a range of steel reinforced concrete pipe that will suit most rural infrastructure applications.

Farmgrade, downgrade, and Hydrain products are our seconds range, ideal for on-farm use. We also offer risers, manholes and troughs, in seconds, which can be used in many DIY applications.

FEATURES

ID Ø225 - 3050mm Subject to availability 2.5m nominal lengths Strong and durable



FlumeBoss



FlumeBoss is a sturdy drainage piping system manufactured from PE100 material, designed to withstand varying weather conditions and built to last.

A cost-effective solution for drainage systems - lightweight and versatile.


FEATURES

Proudly made in New Zealand

Strong & lightweight

Environmentally friendly

Safer handling



Laylite Culvert and Flume Range



Laylite presents a robust drainage piping system crafted entirely from 100% recycled material, and engineered to support diverse weather conditions.

Its secure coupling is effortlessly achieved through self-tapping stainless steel screws placed over interlocked flume corrugation.

Culvert pipe size Ø400 x 3.7m or 6.6m Ø600 x 3.8m

Flume pipe sizes Ø400 x 3.7m Ø600 x 3.8m

FEATURES

Lightweight and flexible Easy transportation and installation

Variety of applications
Cost-effective



Land Drainage Solutions



Drainflo® range ensures an ideal balance of strength, durability, flow, and drainage. Drainflo® and Drainflo® Smooth come in punched and unpunched options.

Drainflo® Smooth is a twin-walled pipe design integrates a smooth inner wall with a corrugated outer wall, enhancing flow performance. For added durability, heavy-duty options and filter sock are available upon request.

FEATURES

OD Ø65, 110 and 160mm

Coil lengths from 15 - 150m

NZ made

SN rated





Wingwalls



Hynds precast concrete one-piece wingwalls enhance inlet and outlet hydraulics for culverts, stormwater outfalls, and erosion protection, providing superior gateway access with our heavy-duty wingwalls.

Available in sizes from 300mm to 2050mm, to accommodate pipe sizes from DN Ø100mm to 1950mm.

FEATURES

High strength


Extensive range of sizes

Erosion protection



Well Liners and Soak Rings

(North Island only)



The overall design incorporates a concrete band at the top and bottom for extra strength. Options of solid, porous or pumice dependent on application and location.



FEATURES

Strong and durable Can be stacked as high as six metres Solid or perforated options



ACCESS WAYS

Hynds Rural offers an extensive lineup of products designed to facilitate access to different areas on your land. These offerings encompass cattlestops, bridges, and underpasses.

Hystop Cattlestop



Ideal for dairy and dry stock farms, lifestyle blocks, quarries, forests and parks.

Designed using high strength reinforced concrete. Compact, one-piece, fully assembled cattlestop.

Galvanised pipes are welded in pairs to stop spinning, and are easy to remove when necessary.

Suitable for 0.85HN (Class 1 loadings) with reduced speeds.

FEATURES

3240 and 4610mm width options

One-piece unit

Wooden kerbs

Made from high strength concrete



Box Underpass



Ideal for stock underpasses and quick access tunnels.

Hynds precast concrete box culvert units simplify the construction process, providing a fast and cost-effective solution that is often more economical than the in-situ construction option.

Purpose designed for various load configurations up to HN-HO-72. Optional precast wingwalls and headwalls available. Size widths from 2m - 4m and 2m - 3m high.

FEATURES

Large variety of strengths, span and opening sizes

Various joint sealing options available



Driftdeck System



Low traffic volumes in remote areas often do not warrant expensive bridge structures at small river crossings.

The Hynds Driftdeck System is an ideal alternative to large box culverts. The are great for low level stream crossings as they allow for large openings. Allowing easy passage of debris and are fish friendly. Three width options available 3.6m, 4m and 4.5m

FEATURES

Suitable for low level stream crossings

Economical and robust

Minimum stream interference at low flow levels



Irrigator Crossing Slab



Hynds precast wheel crossing slabs are a one-piece unit and are designed for pivot irrigators to cross waterways.

FEATURES

6000 x 1200mm standard size

Easy to install

Multiple applications



Landspan Bridge **System**



Hynds Landspan Bridge units are ideal for stock and farm vehicle crossings.

The simplified construction process allows or a rapid completion of works. Bridges are constructed using individual pre-cast beams. Beams are available in lengths of 8, 10, 12, 14 and 16 meters. Widths up to 6.3m in 1050mm increments. Designed to 0.85 HN requirements.



Landspan Deck Slab Bridge



Hynds Precast Concrete Deck Slab Bridge is designed to span smaller channels and is suitable for use as a stock or farm vehicle access.

Manufactured from durable precast concrete, the deck slab bridge is designed for 0.85 HN (Class 1) loading and single lane traffic. Includes light duty handrails and kerbs. Standard size 6.4m length for 5m clear span by 4.5m width.



Loading Ramps



Hynds concrete precast reinforced loading ramps are known for their strength, durability, and versatility.

These loading ramps are made to order and delivered to the site as complete units, ready for immediate use. Designed to withstand rigorous handling, they are constructed with large stock in mind.

Featuring 1350mm high rails, these loading ramps ensure the stability of livestock and minimize the risk of rotation and flipping during loading and unloading processes.

FEATURES

Built to withstand tough handling with galvanised steel rails

One-piece and no assembly required

Strong, durable and heavy



EFFLUENT MANAGEMENT

Hynds Rural is dedicated to implementing farm management systems that not only meet regulatory requirements but also enhance the efficiency of stock movement.

Stonetraps



Hynds offers a variety of effluent stonetrap solutions, including kitsets and drive-through options.

These stonetraps play a crucial role by allowing stones, gravel, and solid debris to settle and be captured. By intercepting hard solids before they reach the pump, these stonetraps significantly reduce the risk of wear and tear on your effluent pump, enhancing the efficient operation of your system. Available in a variety of sizes, they can also be customised to meet specific installation requirements.

FEATURES

Easy installation Range of sizes Bespoke option Strong and durable



Effluent Wedge



The Hynds Effluent Wedge is a versatile one piece construction with a range of sizes available to suit varying applications.

Sizes from 2100mm, 2800mm and 3100mm wide internally by 2000mm deep.

FEATURES

Strong and durable Easy installation



EFFLUENT MANAGEMEN1

Hystor Storage Bunker



Hystor bunkers are ideal for storing effluent solids, dry matter, and stock feed.

Available in 900mm, 1500mm or 2100mm high. Standard depth of 4000mm, and 3500mm wide.

A range of continuous panels are also available for longer stock feed storage requirements.


FEATURES

Easy installation

Part of an integrated system

Structurally strong

Bespoke options available



EFFLUENT MANAGEMENT

Hypond®



The Hypond® is a modular, site assembled, precast effluent tank that comes in four standard sizes.

The panels can easily be lifted into place with a suitable excavator. Each panel weighs approximately 1600 kg.

After panels are put in place, a concrete floor is poured in–situ. The finished depth of the pond is approximately 2135 mm.

Purpose designed safety fence system is available.

FEATURES

40,000 to 140,000 litre capacity

Modular, site assembled

Leach free storage

Seismic loading



EFFLUENT

Megapond®



The Megapond® is a unique, large scale, site assembled pond system available in a range of standard sizes.

The modular panel system, combined with and engineered in-situ poured floor, are designed to be leach free and to give many years of service in tough conditions.

Contact us to find out about the consent and installation process.

Purpose designed safety fence system is available.

FEATURES

Nominal 250,000 to 4 million litre capacity

Leach free

Modular, on-site installation

Seismic loading



Farmflow® Effluent **Purplestripe Pipe**



Hynds offers a range of effluent pipe and PE fittings to meet effluent dispersal needs.

Available in OD Ø63, 75, and 90mm and come in 50m and 100m coils. A range of fittings, including camlocks are also available.

FEATURES

Durable

8 bar

Long lengths

UV resistance



DOMESTIC

Hynds Rural is well-prepared to meet all the domestic drainage, stormwater, and wastewater needs of our rural customers. For additional requirements specific to your farm, we encourage you to visit one of our local branches and consult with one of our experts.

Concrete Septic Tank



Hynds Concrete Septic Tanks to suit residential, commercial or small industrial applications.

Manufactured in robust concrete with several design features to suit the application.

FEATURES

Available in 3300, 4500, 5000 litre capacity

Accepts multiple filters

Easy installation



Lifestyle Aerated Wastewater Treatment Plant



Hynds Lifestyle Treatment Plant - manufactured and distributed locally for over 25 Years.

A high performing SAFF (Submerged Aerated Fixed Film) technology for domestic applications that offers an environmentally sensitive alternative to the septic tank.

Application Limits:

To be confirmed on application as Hynds offer three different series for the Lifestyle.

FEATURES

Tested for high quality wastewater treatment

Built in holiday mode

24-hour emergency storage

Cost-effective and environmentally friendly



X-Perco® (Passive System)

Powerless Wastewater Treatment Plant

Hynds X-Perco® System is a revolutionary passive wastewater treatment system designed by Eloy Water in Belgium. The system uses natural mechanical and biological filtration to treat wastewater with no or little power, and its performance exceeds New Zealand standards.

Application Limits:

Single dwelling • Max 7 people



FEATURES

Single tank installation

Passive gravity filtration

100% natural xylit filtration

Ecological and sustainable

No electricity required for treatment process





FujiClean ACENZ1500

Lightweight Aerated Wastewater Treatment Plant

FujiClean ACENZ1500 Advanced, Compact and Efficient designed to achieve maximum operational efficiency. Weighing a light 440kg, it is ideal for transporting by trailer direct to site for ease of installation.

Application Limits:

Single dwelling • Max 8 people



FEATURES

Lightweight single tank design

Advanced secondary treatment

Low operation and running costs

Contact media filtration technology



Kill/Storage Shed



The Hynds Concrete Killing Shed is crafted from precast concrete, offering robustness and durability.

Equipped with various accessories such as a hanging rail, a 15mm hose tap, a solid door made of aluminium or steel, a shelf, and a drain hole, it provides convenience and functionality.

The concrete construction of the shed facilitates the maintenance of lower temperatures, ensuring a suitable environment for its intended purpose.

FEATURES

Lockable

Pre-assembled

Fly screens

Fitted with internal tap





Hynds Branches North Island

Northern

Whangarei

33 Kioreroa Road P 09 438 7305

Warkworth

59 Morrison Drive P 09 425 9837

Hynds Water Albany

36a Apollo Drive P 09 475 5115

Albany

6 Cowley Place P 09 415 9259

Avondale

88-98 Patiki Road **P** 09 820 0122

Onehunga 102 Neilson Street P 09 579 5605

Manukau

32 Ormiston Road, East Tamaki P 09 273 3053

Pukekohe

30 Nelson Street P 09 237 1274

Takanini

28 Spartan Road **P** 09 267 2980

Central

Tauranga

84-86 Newton Street **P** 07 571 6955

Hamilton

420 Arthur Porter Drive **P** 07 847 3193

Cambridge

14 Hautapu Road P 07 827 4236

Rotorua

39-41 Depot Street P 07 348 9394

Taupō

105 Tauhara Street P 07 378 9915

Te Kūiti

19 Waitete Road P 07 878 8326

Hynds Water Hamilton

42a Gallagher Drive, Melville P 07 846 2710

Capital

Gisborne

26 Te Maanga Road P 06 868 4110

Palmerston North

847 Tremaine Avenue

Hastings

1318 Omahu Road P 06 879 8989

New Plymouth

5a Struthers Place P 06 759 8157

Kāpiti Paraparaumu

7 Birmingham Street

P 06 357 2638

227 Cambridge Terrace

Masterton

8 Solway Crescent **P** 06 377 4474

P 04 296 1125

Naenae

P 04 568 0933

Kaiwharawhara

119-125 Old Hutt Road P 04 472 4172

Hynds Branches South Island

Upper

Nelson

17 Elms Street **P** 03 543 8330

Blenheim

2 Stuart Street P 03 579 1332

Greymouth

6 Hinau Crescent, Kaiata Park P 03 768 4880

Amberley

200 Carters Road P 03 314 8455

Waimakariri

2 Wrights Rd, Kaiapoi P 03 327 5820

Hornby

58 Hickory Place, Hornby P 03 344 3500

Bromley

100 Francella St, Bromley P 03 376 4185

Lower

Ashburton

8 Drovers Lane, Tinwald P 03 745 4777

Timaru

24-26 Racecourse Road P 03 683 9062

Oamaru

15 Tees Street P 03 433 1094

Cromwell

25 McNulty Rd P 03 445 4760

Dunedin

14 Teviot Street P 03 456 1577

Invercargill

205 Bond Street P 03 214 6470



RURAL SALES BOOKLET

Issued: March 2025

Branches Nationwide Support Office and Technical Services 09 274 0316

Disclaimer: While every effort has been made to ensure that the information in this document is correct and accurate, users of Hynds product or information within this document must make their own assessment of suitability for their particular application. Product dimensions are nominal only, and should be verified if critical to a particular installation. No warranty is either expressed, implied, or statutory made by Hynds unless expressly stated in any sale and purchase agreement entered into between Hynds and the user.



