

Maximo 800mm Access Cover Class D400

Technical Guide D16.9

High spec large diameter access cover, offering maximum safe access to secure, sealed networks.



03.23 | DRAINAGE | D16.9 MAXIMO 800MM

Applications

Stormwater Networks

Wastewater Networks

Product Attributes

800mm clear opening allows for maximum access

Gas Spring assisted lifting/lowering reduces effort down to 15 kg

Non Toxic water based paint finish

Approvals/Standards

EN124 to class D400 exceeds HN-HO-72 Transit load requirement

Quality

ISO 9001:2008 Quality Management

We are the supply partner of choice for New Zealand's civil construction industry, specialising in water and infrastructure based solutions.

HYNDS
PIPE SYSTEMS

The Maximo hinged Ductile Iron 800mm access cover features a gas spring assist for ease of opening and closing, eliminating the need for lifting equipment.

Applications

- Stormwater Networks
- Wastewater Networks

Features

- Hinged cover rated to Class D400 to EN124 – exceeds HN-HO-72 Transit load requirement
- Gas Spring assisted lifting/lowering reduces effort down to 15 kg
- 'NBR' cushioning insert attached to cover, in conjunction with 12mm Stainless Steel hold down bolts, gives Watertightness to 0.5 bar
- 800mm clear opening allows maximum access
- Non Toxic water based paint finish
- Seating ensures non rock stability and silence
- Frame features 4 x 20mm holes to secure to concrete manhole top

Accessories


- Personalisation of cover available on request

Testing

- Tested in accordance with EN124 by AFNOR Certification, France

TABLE 1 Product Codes

Code	Description
DIMHMAXCFHS	Ø800 Maximo Cover and Frame
DIMHMAXSTRUT	Gas Strut Replacement Maximo
DIMHMAXCFHS-S	Rubber Seal Replacement Maximo






FIG. 1




FIG. 2

Branches Nationwide *Support Office & Technical Services* 0800 93 7473

Disclaimer: While every effort has been made to ensure that the information in this document is correct and accurate, users of Hynds product or information within this document must make their own assessment of suitability for their particular application. Product dimensions are nominal only, and should be verified if critical to a particular installation. No warranty is either expressed, implied, or statutory made by Hynds unless expressly stated in any sale and purchase agreement entered into between Hynds and the user.

hynds.co.nz
0800 93 7473

HYNDS
PIPE SYSTEMS