



Please identify pipework size and type

Concrete / PVC	Pipe Diameter (max 300mm)
----------------	---------------------------

NOTE:

1. The First Defense High Capacity 900 can accommodate inlet and outlet pipes up to 300mm (nominal) Concrete or PVC. Please identify the pipe size required.
2. Some dimensions could change to accommodate a site constraint situation. Please contact Hynds for technical assistance.
3. The inlet/s are to be installed by the contractor on site, which allows for orientations to suit site requirements. Refer to the site plan for orientation.
4. The opening for the outlet pipe will drilled at the Hynds Factory.
5. If the outlet invert depth to the ground level is >933mm, the contractor will need to provide an appropriate thick wall riser to suit the on-site requirement.
6. The unit includes a kitted 900Ø x 1800mmH flanged based manhole chamber, a 200mm thick concrete lid and a 530Ø cast iron cover & frame. Please note pipework not included.

I AUTHORISE **HYNDS PIPE SYSTEMS LTD** TO PROCEED WITH THE MANUFACTURING OF THIS PRODUCT SPECIAL AS DETAILED ABOVE.
I ACKNOWLEDGE THAT ANY SPECIALS, ONCE MANUFACTURED, ARE DEEMED TO BE MY (CONTRACTOR'S) PROPERTY & ARE NON REFUNDABLE. STORAGE & HANDLING FEES WILL BE INCURRED FOR PRODUCTS THAT ARE NOT DELIVERED WITHIN 1 MONTH OF THE DATE AGREED AT THE TIME OF ORDER. PRODUCT NOT DELIVERED WITHIN 3 MONTHS OF THE DATE AGREED WILL BE DESTROYED AT MY EXPENSE.

NAME :- SIGNATURE :-

DATE :-

NOTES:

1. Traffic loading HD60
2. Consult Engineer where exposure classification C or U is required (Saltwater Tidal/Splash Zone or other aggressive environment).

MATERIALS

VOL (m³/unit) =

WT (ton/unit) =

CODE =

REVISIONS

REV #:	REVISION DESCRIPTION:	DATE:	DRAWN:
1	New Drawing	28 July 2018	HJ
2	Change drawing notes	27 Sept 2017	HJ
3	Updated chamber to thick wall	11/1/2019	KI

PO Box 58142, Botany, Auckland, 2163
Tel: 09-274 0316
Fax: 09-272 7485
email: technicalservices@hynds.co.nz



© **HYNDS PIPE SYSTEMS LTD**
This drawing is the property of Hynds Pipe Systems Limited. Not to be disclosed to any other person without permission from Hynds Pipe Systems Limited. It is submitted for use only in connection with proposals and contracts of Hynds Pipe Systems Limited upon the express condition that it is not to be reproduced or copied in any form. Data to be used only with reference to products manufactured and supplied by Hynds Pipe Systems Limited.

ISO 9001 CERTIFIED MANAGEMENT SYSTEM

PROJECT DESCRIPTION:

Hynds Pipes

First Defense High Capacity 900

SERVICE DETAIL:

Ø900 x 1800mm High Flanged Base

General Arrangement

REFERENCE/QUOTE NUMBER:

DRAWN: HJ
SIGNATURE:

DESIGN:
SIGNATURE:

CHECKED:
SIGNATURE:

SCALE: 1:20
PAPER SIZE: A3

Note:
Do not scale drawing if in doubt **ASK!!!**

DATE:
28 July 2017

DRAWING NUMBER:

E1080

REVISION NUMBER:

3