


Commercial Plumbing & Backflow Catalogue

Issue: August 2025



HYND*swater*



CONTENTS

1. Pressure Pipe	Page 1
2. Gate & Service Valves.....	Page 4
3. Valves for Water Applications	Page 5
4. Hydrants & Hydrant Fittings.....	Page 7
5. Ductile Iron Fittings	Page 8
6. Mechanical Couplers.....	Page 13
7. Dismantling Joints	Page 15
8. Restraint Couplers & Adaptors	Page 16
9. Compression Fittings	Page 18
10. PE Electrofusion Fittings & Tooling.....	Page 20
11. PE Electrofusion Saddles	Page 25
10. PE Spigot Fittings SDR11/PN16	Page 27
11. Backing Rings Suitable for PE Pipe.....	Page 29
12. Dressing Sets Gaskets and Bolts	Page 30
13. Tapping Bands and Saddles	Page 32
14. Rapid Repair Clamps.....	Page 34
15. Brass Fittings	Page 38
16. Galvanised Fittings.....	Page 43
17. Hansen Nylon - LDPE Fittings.....	Page 44
18. Service Boxes for Water Applications.....	Page 48
19. Concrete Service Box Surrounds and Non Ferrous Surface Boxes	Page 49
20. Strainers, Manifolds, Meters, Boxes & Accessories.....	Page 50
21. Singer Control Valves	Page 58
22. Consumables for Water Applications.....	Page 59

Pressure Pipe

Note: due to market conditions and high demand please request a quotation for any PE/PVC pipe.
The pricing below only applies if no quote is applied.


	Code	Size / Description
	PE 80 SDR11 PN12 Blue Pipe	
	2500.20.005	20 OD x 5M
	2500.20.025	20 OD x 25M
	2500.20.050	20 OD x 50M
	2500.20.100	20 OD x 100M
	2500.25.005	25 OD x 5M
	2500.25.025	25 OD x 25M
	2500.25.050	25 OD x 50M
	2500.25.100	25 OD x 100M
	2500.32.005	32 OD x 5M
	2500.32.025	32 OD x 25M
	2500.32.050	32 OD x 50M
	2500.32.100	32 OD x 100M
	2500.40.005	40 OD x 5M
	2500.40.025	40 OD x 25M
	2500.40.050	40 OD x 50M
	2500.40.100	40 OD x 100M
	2500.50.005	50 OD x 5M
	2500.50.025	50 OD x 25M
	2500.50.050	50 OD x 50M
	2500.50.100	50 OD x 100M
	2500.63.005	63 OD x 5M
	2500.63.025	63 OD x 25M
	2500.63.050	63 OD x 50M
	2500.63.100	63 OD x 100M

	Code	Size / Description
PE 100 SDR13.6 PN12 Blue Pipe		
	2510.125PN12.6	125 OD x 6M
	2510.180PN12.6	180 OD x 6M
	2510.250PN12.6	250 OD x 6M
	2510.125PN12.12	125 OD x 12M
	2510.180PN12.12	180 OD x 12M
	2510.250PN12.12	250 OD x 12M
PE 100 SDR11 PN16 Blue Pipe		
	2510.180PN16.6	180 OD x 6M
	2510.250PN16.6	250 OD x 6M
	2510.125PN16.12	125 OD x 12M
	2510.180PN16.12	180 OD x 12M
	2510.250PN16.12	250 OD x 12M
PE100 SDR17 PN10 - Black Pipe		
	2610.110PN10.6	110 OD x 6M
	2610.160PN10.6	160 OD x 6M
	2610.225PN10.6	225 OD x 6M
	2610.250PN10.6	250OD x 6M
	2610.110PN10.12	110OD x 6M
	2610.160PN10.12	160OD x 6M
	2610.225PN10.12	225OD x 6M
	2610.250PN10.12	250OD x 6M
PE100 SDR11 PN16 - Black with Cream Stripe		
	2610.04016006CS	40 OD x 6M
	2610.05016006CS	50 OD x 6M
	2610.06316006CS	63 OD x 6M
	2610.07516006CS	75 OD x 6M
	2610.09016006CS	90 OD x 6M

	Code	Size / Description
Pressure Pipe PN12 Series 2 Blue		
	oPVC	
	1880.100PN12.6R	100mm x 6M
	1880.150PN12.6R	150mm x 6M
	mPVC	
	1850.100PN12.6R	100mm x 6M
	1850.150PN12.6R	150mm x 6M
uPVC Pressure Pipe Series 1 White		
	PN15 SOE	
	800.15PN15.6	15mm PN15 SOE
	800.20PN15.6	20mm PN15 SOE
	800.25PN15.6	25mm PN15 SOE
	PN12 RJ	
	800.50PN12.6RJ	50mm x 6M
	800.65PN12.6RJ	65mm x 6M
	800.80PN12.6RJ	80mm x 6M
	800.100PN12.6RJ	100mm x 6M
	800.150PN12.6RJ	150mm x 6M
Accessories		
	Solvent Cement	
	SC0250P	250ml Pressure
	SC0500P	500ml Pressure
	SC1000P	1 Litre Pressure
	CF500	Cleaning Fluid 500ml
	CF4000	Cleaning Fluid 4L

Gate & Service Valves

Related Documents: Hawle Technical Guides

	Code	Size / Description
Gate Valve Resilient Seated Double Flanged AS4087		
	Anti-Clockwise Closing	
	VSDF-050-3	50mm
	VSDF-080-3	80mm
	VSDF-100-3	100mm
	VSDF-150-3	150mm
	VSDF-200-3	200mm
Gate Valve Resilient Seated Z Joint Series 1 PVC Ends		
	VSZ100-C	100mm*
	VSZ150-C	150mm*
Gate Valve Resilient Seated Series 2 PVC Ends		
	VSA100-C	100mm*
	VSA150-C	150mm*
Service Valves with Female/Female BSP (threaded) ends		
	VSFF020	20mm
	VSFF025	25mm
	VSFF032	32mm
	VSFF040	40mm
	VSFF050	50mm
Sluice Valve Spindle Extension		
	VSE0300	300mm long
	VSE0600	600mm long
	VSE0900	900mm long

Valves for Water Applications

	Code	Size / Description
Gate Valve - KITZ ASH DZR PN16 Female/Female		
	GVKA015	15mm
	GVKA020	20mm
	GVKA025	25mm
	GVKA032	32mm
	GVKA040	40mm
	GVKA050	50mm
Gate Valve Hand Wheel		
	GVHW015	15mm
	GVHW020	20mm
	GVHW025	25mm
	GVHW032	32mm
	GVHW040	40mm
	GVHW050	50mm
Gate Valve AS1628 with Tee Handle		
	GVP015T	15mm
	GVP020T	20mm
	GVP025T	25mm
	GVP032T	32mm
	GVP040T	40mm
	GVP050T	50mm
Brass Ball Valve Fullflow Female/Female		
	VB015	15mm
	VB020	20mm
	VB025	25mm
	VB032	32mm
	VB040	40mm
	VB050	50mm
Butterfly Valve Lugged Lever Operated		
	Table D	
	VBL100D	100mm
	VBL150D	150mm
	VBL200D	200mm
	VBL250D	250mm
	Table E	
	VBL050	50mm
	VBL065	65mm
	VBL080	80mm
	VBL100	100mm
	VBL125	125mm
	VBL150	150mm
	VBL200	200mm
	VBL250	250mm
	VBL300	300mm

Wye Strainer Table E (SS Fasteners)

VCYS080-C	80mm
VCYS100-C	100mm
VCYS150-C	150mm
VCYS250-C	250mm
VCYS300-C	300mm

Brass Wye Strainer

VCYS015	15mm
VCYS020	20mm
VCYS025	25mm
VCYS032	32mm
VCYS040	40mm
VCYS050	50mm

Check Valve Duo Check - Wafer Table D/E

VCDUO050-C	50mm
VCDUO065-C	65mm
VCDUO080-C	80mm
VCDUO100-C	100mm
VCDUO125-C	125mm
VCDUO150-C	150mm
VCDUO200-C	200mm
VCDUO250-C	250mm
VCDUO300-C	300mm

Ball Check Valve

VCBS050-C	50mm - 2" BSP
VCBDF050-C	50mm - Flanged T/D
VCBDF080-C	80mm - Flanged T/D
VCBDF100-C	100mm - Flanged T/D
VCBDF150-C	150mm - Flanged T/D

Hydrants & Hydrant Fittings

	Code	Size / Description
Hydrants AS4087 Table D NZS4522		
	Without Frost Plug	
	HSQNZ-C	Squat
	HMEDNZ-C	Medium
	HTALNZ-C	Tall
	With Frost Plug	
	HSQFNZ-C	Squat
	HMEDFNZ-C	Medium
	HTALFNZ-C	Tall
Haku Pipe Saddle with Full Body - AS4087 Table D Flanged 80mm Hydrant Outlet		
	TS12580TD-C	125mmOD x 80mm
	TS125100TD-C	125mmOD x 100mm
	TS18080TD-C	180mmOD x 80mm
	TS20080TD-C	200mmOD x 80mm
	TS22580TD-C	225mmOD x 80mm
	TS25080TD-C	250mmOD x 80mm
Standpipe Connections		
	STANDPIPE65	Standpipe Galv cw 65 BSP Outlet
	STANDPIPEASH	Standpipe Alloy cw Swivel Head Coupler Instantaneous Outlet
	STANDPIPEB	Standpipe Base Only
	STANDPIPEC65F	Standpipe Coupler Ø65 Female Instantaneous
	STANDPIPECM	Standpipe Coupler Ø65 Male Instantaneous
	STANDPIPEG	Standpipe Galv cw Coupler Instantaneous Outlet
	STANDPIPEGHT	Standpipe Galv cw Hose Tap Outlet
	STANDPIPEWB	Standpipe Base Washer
	STANDPIPEWTO	Standpipe Top Outlet Washer
	STANDPIPEBFP	Standpipe with Backflow Prevention

Ductile Iron Fittings

ALL Flanges are AS4087 Table D unless otherwise stated. Fittings have a thermally bonded coating for superior protection

	Code	Size / Description
Bend - Double Flanged		
	BDF08045-C	80mm 45°
	BDF08090-C	80mm 90°
	BDF10011-C	100mm 11°
	BDF10022-C	100mm 22°
	BDF10045-C	100mm 45°
	BDF10090-C	100mm 90°
	BDF15011-C	150mm 11°
	BDF15022-C	150mm 22°
	BDF15045-C	150mm 45°
	BDF15090-C	150mm 90°
	BDF20011-C	200mm 11°
	BDF20022-C	200mm 22°
	BDF20045-C	200mm 45°
	BDF20090-C	200mm 90°
Bend - Series 2 Blue PVC Socket Ends		
	BAQ10011-C	100mm 11°
	BAQ10022-C	100mm 22°
	BAQ10045-C	100mm 45°
	BAQ10090-C	100mm 90°
	BAQ15011-C	150mm 11°
	BAQ15022-C	150mm 22°
	BAQ15045-C	150mm 45°
	BAQ15090-C	150mm 90°
	BAQ20011-C	200mm 11°
	BAQ20022-C	200mm 22°
	BAQ20045-C	200mm 45°
	BAQ20090-C	200mm 90°
Bend - Z Joint Series 1 PVC Socket Ends		
	BZ10011-C	100mm 11°
	BZ10022-C	100mm 22°
	BZ10045-C	100mm 45°
	BZ10090-C	100mm 90°
	BZ15011-C	150mm 11°
	BZ15022-C	150mm 22°
	BZ15045-C	150mm 45°
	BZ15090-C	150mm 90°
	BZ20011-C	200mm 11°
	BZ20022-C	200mm 22°
	BZ20045-C	200mm 45°
	BZ20090-C	200mm 90°

Bend - Duckfoot 90° All Flanged

DFBDF080-C	80mm
DFBDF100-C	100mm
DFBDF150-C	150mm
Bend - Duckfoot 90° Hydrant Flange	
DFHBF100080	100 - 80mm
DFHBF150080	150 - 80mm

Equal Tee - Mainway/Branch Flanged

TAF080-C	80 x 80mm
TAF100-C	100 x 100mm
TAF150-C	150 x 150mm
TAF200-C	200 x 200mm

Reducing Tee

TAF100150-C	150 x 100mm
TAF100200-C	200 x 100mm
TAF150200-C	200 x 150mm

Equal Tee - Mainway/Branch Socket Series 2 Blue PVC

TAQ100-C	100x 100mm
TAQ150-C	150 x150mm
TAQ200-C	200 x 200mm

Reducing Tee

TAQ100150-C	150 x 100mm
TAQ100200-C	200 x 100mm
TAQ150200-C	200 x 150mm

Equal Tee - Mainway Series 2 Blue PVC Socket / Flanged Branch

TBFMWAQ100-C	100 x 100mm
TBFMWAQ150-C	150 x 150mm
TBFMWAQ200-C	200 x 200mm

Reducing Tee

TBFMWAQ080100-C	100 x 80mm
TBFMWAQ100150-C	150 x 100mm
TBFMWAQ080200-C	200 x 80mm
TBFMWAQ100200-C	200 x 100mm
TBFMWAQ150200-C	200 x 150mm

Equal Tee - Mainway/Branch Z Joint Series 1 PVC Socket

TZ100-C 100 x 100mm

TZ150-C 150 x 150mm

TZ200-C 200 x 200mm

Reducing Tee

TZ100150-C 150 x 100mm

TZ100200-C 200 x 100mm

TZ150200-C 200 x 150mm

Equal Tee - Mainway Z Joint S1 PVC Socket / Flanged Branch

TBFMWZ100-C 100 x 100mm

TBFMWZ150-C 150 x 150 mm

TBFMWZ200-C 200 x 200mm

Reducing Tee

TBFMWZ100150-C 150 x 100mm

TBFMWZ100200-C 200 x 100mm

TBFMWZ150200-C 200 x 150mm

Equal Tee - Mainway Plain Ended/Branch Flanged

TBF100-C 100 x 100mm

TBF150-C 150 x 150mm

TBF200-C 200x 200mm

Reducing Tee

TBF100150-C 150 x 100mm

TBF100200-C 200 x 100mm

TBF150200-C 200x 150mm

Equal Tee - Plain Ended

TPE150-C 150 x 150 mm

TPE100150-C 150 x 100mm

Flange Adaptor - Series 2 Blue PVC Socket

FAAQ100-C	100mm
FAAQ150-C	150mm
FAAQ200-C	200mm

Flange Adaptor - Z Joint Series 1 PVC

FAZ100-C	100mm
FAZ150-C	150mm
FAZ200-C	200mm
FAZ225-C	225mm

Flange Adaptor - Spigot

FAPE080-C	80mm
FAPE100-C	100mm
FAPE150-C	150mm
FAPE200-C	200mm

Reducer - Flanged

RDF080050-C	80 x 50mm
RDF100050-C	100 x 50mm
RDF100080-C	100 x 80mm
RDF150080-C	150 x 80mm
RDF150100-C	150 x 100mm
RDF200080-C	200 x 80mm
RDF200100-C	200 x 100mm
RDF200150-C	200 x 150mm

Blank Flange

BF050-C	50mm
BF080-C	80mm
BF100-C	100mm
BF150-C	150mm
BF200-C	200mm

Blank Flange Tapped 2" BSP

BF050T-C	50mm
BF080T-C	80mm
BF100T-C	100mm
BF150T-C	150mm
BF200T-C	200mm

Pipe Spool (Double Flanged)		Diameter x Length
	PSDF080400-C	80 x 400mm
	PSDF100100-C	100 x 100mm
	PSDF100150-C	100 x 150mm
	PSDF100200-C	100 x 200 mm
	PSDF100225-C	100 x 225mm
	PSDF100300-C	100 x 300mm
	PSDF100400-C	100 x 400mm
	PSDF100450-C	100 x 450mm
	PSDF100500-C	100 x 500mm
	PSDF100600-C	100 x 600mm
	PSDF1001000-C	100 x 1000mm
	PSDF1001200-C	100 x 1200mm
	PSDF150100-C	150 x 100mm
	PSDF150150-C	150 x 150mm
	PSDF150225-C	150 x 225mm
	PSDF150300-C	150 x 300mm
	PSDF150400-C	150 x 400mm
	PSDF150450-C	150 x 450mm
	PSDF150500-C	150 x 500mm
	PSDF150600-C	150 x 600mm
	PSDF1501000-C	150 x 1000mm
	PSDF1501200-C	150 x 1200mm
	PSDF200850-C	200 x 850mm
	PSDF200150-C	200 x 150mm
	PSDF200300-C	200 x 300mm
	PSDF200400-C	200 x 400mm
	PSDF200500-C	200 x 500mm
	PSDF200600-C	200 x 600mm
	PSDF2001000-C	200 x 1000mm
	PSDF2001200-C	200 x 1200mm

Mechanical Couplers

	Code	General Sizes
Coupler MaxiFit - Viking Johnson		
	GIBMF040N	40mm (48-59mm OD)
	GIBMF050NP	50mm (57-74mm OD)
	GIBMF065NP	65mm (63-85mm OD)
	GIBMF080NP	80mm (85-107mm OD)
	GIBMF100NP	100mm (107-132mm OD)
	GIBMF125NP	125mm (132-158mm OD)
	GIBMF150NP	150mm (158-184mm OD)
	GIBMF175N	175mm (189-212mm OD)
	GIBMF200N	200mm (218-244mm OD)
Coupler Long MaxiFit - Viking Johnson		
	GIBMF050L	50mm (57-74mm OD)
	GIBMF065L	65mm (63-85mm OD)
	GIBMF080L	80mm (85-107mm OD)
	GIBMF100L	100mm (107-132mm OD)
	GIBMF125L	125mm (132-158mm OD)
	GIBMF150L	150mm (158-184mm OD)
	GIBMF175L	175mm (189-212mm OD)
	GIBMF200L	200mm (218-244mm OD)
Coupler Stepped MaxiFit - Viking Johnson		
	GIBMFS050065N	50-65mm (57-74 to 63-85mm OD)
	GIBMFS050080N	50-80mm (57-74 to 85-107mm OD)
	GIBMFS065080N	65-80mm (63-85 to 85-107mm OD)
	GIBMFS080100N	80-100mm (85-107 to 107-132mm OD)
	GIBMFS100125N	100-125mm (107-132 to 132-158mm OD)
	GIBMFS125150N	125-150mm (132-158 to 158-184mm OD)
	GIBMFS150175N	150-175mm (158-184 to 189-212mm OD)
	GIBMFS175200N	175-200mm (189-212 to 218-244mm OD)
	GIBMFS200225N	200-225mm (218-244 to 243-269mm OD)
	GIBMFS225250N	225-250mm (243-269 to 266-295mm OD)

End Cap Maxifit - Viking Johnson



End Cap to be used in conjunction with a Maxifit coupler. Refer to the VJ Technical Guide

GIBMS050N	50mm
GIBMS065N	65mm
GIBMS080N	80mm
GIBMS100N	100mm
GIBMS125N	125mm
GIBMS150N	150mm
GIBMS175N	175mm
GIBMS200N	200mm

End Cap BSP Tapped 50mm Maxifit - Viking Johnson



End Cap to be used in conjunction with a Maxifit coupler. Refer to the VJ Technical Guide

GIBMS080T	80mm
GIBMS100T	100mm
GIBMS125T	125mm
GIBMS150T	150mm
GIBMS175T	175mm
GIBMS200T	200mm

Flange Adaptor Maxifit - Viking Johnson - Universal Drilling Pattern



FAGIBMF050N	50mm (57-74mm OD)
FAGIBMF080NP	80mm (85-107mm OD)
FAGIBMF100NP	100mm (107-132mm OD)
FAGIBMF125N	125mm (133-158mm OD)
FAGIBMF150N	150mm (158-184mm OD)
FAGIBMF175N	175mm (189-212mm OD)
FAGIBMF200N	200mm (218-244mm OD)

Dismantling Joints

	Code	Size / Description
Dismantling Joint - Viking Johnson Flange AS4087 Stainless Steel Bolts EDPM Seal		
	GIBDJ100AS-SS	100mm
	GIBDJ150AS-SS	150mm
	GIBDJ200AS-SS	200mm
Flexible Bellows Single Sphere Double Flanged (Galv) AS4087 PN16		
	BR040AS4087	40mm
	BR050AS4087	50mm
	BR065AS4087	65mm
	BR080AS4087	80mm
	BR100AS4087	100mm
	BR150AS4087	150mm
	BR200AS4087	200mm
	BR250AS4087	250mm
	BR300AS4087	300mm
Flexible Bellows Single Sphere Double Flanged (Stainless) AS4087 PN16		
	BRSS040DF	40mm
	BRSS050DF	50mm
	BRSS065DF	65mm
	BRSS080DF	80mm
	BRSS100DF	100mm
	BRSS150DF	125mm
	BRSS200DF	150mm
	BRSS250DF	200mm
	BRSS300DF	250mm
Shearband Couplers - 2.5bar rated for gravity mains		
	EWKC137/1	Bush Rubber 100-105 15mm Thick
	EWKC200/1	Bush Rubber DN225 PVC 16mm Thick
	EWKC265-290	Bush Rubber 154-164mm 16 thick
	EWKC335	Shear Band DN137 122-137mm
	EWKC385	Shear Band DN200 175-200mm
	EWKB15.115	Shear Band DN290 265-290mm
	EWKB16.225	Shear Band DN335 310-335mm
	EWKB16.164	Shear Band DN385 360-385mm

Restraint Couplers & Adaptors

	Code	Size OD / Description
Coupler Hawle - Synoflex - End Load Restraint		
	Connects all common types of pipe - fully restrained	
	GIBCSYN050	DN50 (56-71 50mm OD)
	GIBCSYN065	DN65 (67-88 65mm OD)
	GIBCSYN080	DN80 (85-105mm OD)
	GIBCSYN100	DN100 (104-132mm OD)
	GIBCSYN125	DN125 (131-160mm OD)
	GIBCSYN150	DN150 (155-192mm OD)
Stepped Coupler - Hawle Synoflex - End Load Restraint		
	Connects all common types of pipe - fully restrained	
	GIBCSYNR8065	DN80 x 65mm (85-105 x 71-88mm OD)
	GIBCSYNR10080	DN100 x 80mm (104-132 x 85-105 mm OD)
	GIBCSYNR125100	DN125 x 100mm (131-160 x 104-132mm OD)
	GIBCSYNR150100	DN150 x 100mm (155-192 x 104-132mm OD)
	GIBCSYNR150125	DN150 x 125mm (155-192 x 131-160mm OD)
	GIBCSYNR200150	DN200 x 150mm (198-230 x 155-192mm OD)
Flanged Adaptor - Hawle Synoflex PN16 - End Load Restraint		
	Connects all common types of pipe - fully restrained	
	FASYN050-C	DN50 (56-71 OD)
	FASYN065-C	DN65 (67-88 OD)
	FASYN080-C	DN80 (85-105 OD)
	FASYN125-C	DN125 (131-160 OD)
	FASYN100-C	DN100 (104-132mm OD)
	FASYN150-C	DN150 (155-192mm OD)

Blank Cap Tapped 50mm - Hawle Synoflex PE-End Load Restraint

GBCSYN100T-C DN100 (104-132OD)

GBCSYN150T-C DN150 (155-192OD)

PE Coupler - Hawle System 2000 PE - End Load Restraint**Dedicated PE connection system - fully restrained**

CS2063-C 63mm OD

CS2075-C 75mm OD

CS2090-C 90mm OD

CS2110-C 110mm OD

CS2125-C 125mm OD

CS2140-C 140mm OD

CS2160-C 160mm OD

CS2180-C 180mm OD

refer to Nova Siria Couplers for larger sizes

PE Flange Adaptor - Hawle System 2000 PE - End Load Restraint**Dedicated PE connection system - fully restrained**

FAS2090-C 90mm OD

FAS2125-C 125mm OD

FAS2180-C 180mm OD

PE End Cap - Hawle System 2000 - End Load Restraint**Dedicated PE connection system - fully restrained**

GBCS2090-C 90mm OD

GBCS2160-C 160mm OD

GBCS2180T-C 180mm OD

**Tapped 50mm Hawle System 2000 End Load Restraint**

GBCS2125T-C 125mm

GBCS2180T-C 180mm

Compression Fittings

	Code	Size OD / Description
Coupler/Adaptor Male Plasson PN16		
	ODF2513.20	20 x 15mm
	ODF2513.20.20	20 x 20mm
	ODF2513.25	25 x 20mm
	ODF2513.25.25	25 x 25mm
	ODF2513.25.15	25 x 15mm
	ODF2513.32.20	32 x 20mm
	ODF2513.32	32 x 25mm
	ODF2513.32.32	32 x 32mm
	ODF2513.40	40 x 32mm
	ODF2513.40.40	40 x 40mm
	ODF2513.50	50 x 40mm
	ODF2513.63	63 x 50mm
Coupler/Adaptor Female Plasson		
	ODF2506.20	20 x 5mm
	ODF2506.25	25 x 20mm
	ODF2506.25.25	25 x 25mm
	ODF2506.32	32 x 25mm
	ODF2506.40	40 x 32mm
	ODF2506.50	50 x 40mm
	ODF2506.63	63 x 50mm
Coupler Straight Plasson PN16		
	ODF2510.20	20mm
	ODF2510.25	25mm
	ODF2510.32	32mm
	ODF2510.40	40mm
	ODF2510.50	50mm
	ODF2510.63	63mm
Slip Coupler Plasson PN16		
	ODF2511.20	20mm
	ODF2511.25	25mm
	ODF2511.32	32mm
	ODF2511.40	40mm
	ODF2511.50	50mm
	ODF2511.63	63mm
Elbow 90° Plasson PN16		
	ODF2501.20	20mm
	ODF2501.25	25mm
	ODF2501.32	32mm
	ODF2501.40	40mm
	ODF2501.50	50mm
	ODF2501.63	63mm

Elbow 90° Female Plasson PN16

ODF2508.20	20 x 15mm
ODF2508.25	25 x 20mm
ODF2508.32	32 x 25mm
ODF2508.40	40 x 32mm
ODF2508.50	50 x 40mm
ODF2508.63	63 x 50mm

Elbow 90° Male Plasson PN16

ODF2507.20	20mm
ODF2507.25	25mm
ODF2507.32	32mm
ODF2507.40	40mm
ODF2507.50	50mm
ODF2507.63	63mm

Equal Tee Plasson PN16

ODF2504.20	20mm
ODF2504.25	25mm
ODF2504.32	32mm
ODF2504.40	40mm
ODF2504.50	50mm
ODF2504.63	63mm

Tee x Female Off Take Plasson

ODF2503.32.25	32 x 25mm
ODF2503.40.32	40 x 32mm
ODF2503.50.40	50 x 40mm
ODF2503.63.50	63 x 50mm

End Cap Plasson

ODF2531.20	20mm
ODF2531.25	25mm
ODF2531.32	32mm
ODF2531.40	40mm
ODF2531.50	50mm
ODF2531.63	63mm

PE Electrofusion Fittings & Tooling

GF Electrofusion Couplings are designed to be used on pipes of the same SDR rating. (Standard Dimension Ratio = Pipe OD/wall thickness. SDR11 Electrofusion couplers can be used on SDR13.6 and SDR17 pipe.

	Code	Size OD/Description
EF Couplers SDR11 PN16 - Georg Fischer		
	EFC020GF	20mm
	EFC025GF	25mm
	EFC032GF	32mm
	EFC040GF	40mm
	EFC050GF	50mm
	EFC063GF	63mm
	EFC075GF	75mm
	EFC090GF	90mm
	EFC110GF	110mm
	EFC125GF	125mm
	EFC140GF	140mm
	EFC160GF	160mm
	EFC180GF	180mm
	EFC200GF	200mm
	EFC225GF	225mm
	EFC250GF	250mm
EF Reducing Coupler SDR11 PN16 - Georg Fischer		
	EFR02520GF	25 x 25mm
	EFR03220GF	32 x 20mm
	EFR03225GF	32 x 25mm
	EFR04020GF	40 x 20mm
	EFR04025GF	40 x 25mm
	EFR04032GF	40 x 32mm
	EFR05032GF	50 x 32mm
	EFR05040GF	50 x 40mm
	EFR06332GF	63 x 32mm
	EFR06340GF	63 x 40mm
	EFR06350GF	63 x 50mm
	EFR07563GF	75 x 63mm
	EFR09063GF	90 x 63mm
	EFR11063GF	110 x 63mm
	EFR11090GF	110 x 90mm
	EFR125090GF	125 x 90mm
	EFR160110GF	160 x 110mm
	EFR16090GF	160 x 90mm
	EFR180125GF	180 x 125mm

EF 90° Elbows SDR11 PN16 - Georg Fischer

EFE02090GF	20mm
EFE02590GF	25mm
EFE03290GF	32mm
EFE04090GF	40mm
EFE05090GF	50mm
EFE06390GF	63mm
EFE07590GF	75mm
EFE09090GF	90mm
EFE11090GF	110mm
EFE12590GF	125mm
EFE16090GF	160mm
EFE18090GF	180mm
EFE20090GF	200mm
EFE22590GF	225mm
EFE25090GF	250mm

EF 45° Elbows SDR11 PN16 - Georg Fischer


EFE03245GF	32mm
EFE04045GF	40mm
EFE05045GF	50mm
EFE06345GF	63mm
EFE07545GF	75mm
EFE09045GF	90mm
EFE11045GF	110mm
EFE12545GF	125mm
EFE16045GF	160mm
EFE18045GF	180mm
EFE20045GF	200mm
EFE22545GF	225mm
EFE25045GF	250mm

EF Equal Tee SDR11 PN16 - Georg Fischer

EFT020GF	20mm
EFT025GF	25mm
EFT032GF	32mm
EFT040GF	40mm
EFT050GF	50mm
EFT063GF	63mm
EFT075GF	75mm
EFT090GF	90mm
EFT110GF	110mm
EFT125GF	125mm
EFT160GF	160mm
EFT180GF	180mm
EFT200GF	200mm
EFT225GF	225mm
EFT250GF	250mm

EF End Cap SDR11 PN16 - Georg Fischer

EFEC020GF	20mm
EFEC025GF	25mm
EFEC032GF	32mm
EFEC040GF	40mm
EFEC050GF	50mm
EFEC063GF	63mm
EFEC075GF	75mm
EFEC090GF	90mm
EFEC110GF	110mm
EFEC125GF	125mm
EFEC140GF	140mm
EFEC160GF	160mm
EFEC180GF	180mm
EFEC200GF	200mm
EFEC225GF	225mm
EFEC250GF	250mm

Flex Restraint - Georg Fischer

EFRESTRAINTGF	PE100 160-1600mm
---------------	------------------

EF Male Transition Coupler PE/Brass SDR11 PN16 - Georg Fischer

EFCM02015GF	20 × 15mm
EFCM02520GF	25 × 20mm
EFCM02525GF	25 × 25mm
EFCM03225GF	32 × 25mm
EFCM04032GF	40 × 32mm
EFCM05040GF	50 × 40mm
EFCM06350GF	63 × 50mm

*Transition couplers include an electrofusion coupler

EF Female Transition Coupler PE/Brass SDR11 PN16 - Georg Fischer

EFCFS02520GF	25 × 20mm
EFCF032025GF	32 × 25mm
EFCF040032GF	40 × 32mm
EFCF050040GF	50 × 40mm
EFCF063050GF	63 × 50mm

*Transition couplers include an electrofusion coupler

EF Male Transition Adaptor PE/Brass SDR11 PN16 - Georg Fischer

EFAMB02015GF	20 x 15mm
EFAMB02520GF	25 x 20mm
EFAMB03225GF	32 x 25mm
EFAMB04032GF	40 x 32mm
EFAMB05040GF	50 x 40mm
EFAMB06350GF	63 x 50mm

* Please note transition adaptors require an additional electrofusion fitting for installation

EF Female Transition Adaptor PE/Brass SDR11 PN16 - Georg Fischer

EFAFB03225GF	32 x 25mm
EFAFB04032GF	40 x 32mm
EFAFB05040GF	50 x 40mm
EFAFB06325GF	63 x 25mm
EFAFB06332GF	63 x 32mm
EFAFB06340GF	63 x 40mm
EFAFB06350GF	63 x 50mm

* Please note transition adaptors require an additional electrofusion fitting for installation

EF Male Transition Adaptor PE/Stainless Steel SDR11 PN16 - Georg Fischer

EFAMS02015GF	20 x 15mm
EFAMS02520GF	25 x 20mm
EFAMS03225GF	32 x 25mm
EFAMS04032GF	40 x 32mm
EFAMS05040GF	50 x 40mm
EFAMS06350GF	63 x 50mm

* Please note transition adaptors require an additional electrofusion fitting for installation

EF Female Transition Adaptor PE/Stainless Steel SDR11 PN16 - Georg Fischer

EFAFS02015GF	20 x 15mm
EFAFS02520GF	25 x 20mm
EFAFS03225GF	32 x 25mm
EFAFS04032GF	40 x 32mm
EFAFS05040GF	50 x 40mm
EFAFS06350GF	63 x 50mm

* Please note transition adaptors require an additional electrofusion fitting for installation

Essential Electrofusion Machines, Tools and Accessories



EFWIPESIPA97 Wipes Tissue EF 97% Isopropyl Alcohol 150 Pack 300 x 280mm



EFMPEGASUS Electrofusion Welder 20 - 630mm Pegasus w Case Calder

PEELPREP2063KIT Peeler Calderprep Plus 20 - 63mm Kit SDR11 Calder

PEELPREPDRIVE Calderprep Plus Nylon Power Drive Adaptor Calder

PEELPREPBLADE Calderprep Plus 4 Sided Scraping Disc Calder

PEELUNI063250 Peeler Uniprep 4 63 - 250mm with Case Calder

PEELUNI125500 Peeler Uniprep 2 125 - 500mm with Case Calder



CLAMP063180S Alignment Clamp with Shells 63-90 125-180 Straight Calder

CLAMPK063250 Alignment Clamp K Strap 63 - 250mm 2 Way Straight Calder

CLAMP063180SA Alignment Clamp with Shells 63-90 125-180 Angle Calder

CLAMPK063250A Alignment Clamp K Strap 63 - 250mm 2 Way Angle Calder

CLAMPUNI016063 Alignment Superclamp Universal 16 - 63mm Angle Calder

PSOT2042 Pipe Squeeze Off Tool 20 - 42mm Pocket Calder

PSOT2063SDR11 Pipe Squeeze Off Tool 20 - 63mm SDR11 Calder

PE Electrofusion Saddles

Saddles require specific tooling (and experience) to install. If you are unfamiliar with requirements please contact Hynds Water.

GF Modular tapping saddles allow you to mix and match the saddle with the right tapping tee. Simply select the main pipe size from table A and the desired outlet from table B. Assemble the saddle to the pipe, insert tapping tee, point the outlet in the right direction and then weld. One weld operation secures both the saddle and the tapping tee. (Top Load means top load tool required for installation)

NOTE: Please select a pipe saddle from list A and a tapping Tee from list B.

Table A		EF Modular T Saddle SDR11 PN16 Georg Fischer
	Code	Size OD / Description
	EFS063063GF	63 x 63mm
	EFS075063GF	75 x 63mm
	EFS090063GF	90 x 63mm
	EFS110063GF	110 x 63mm
	EFS125063GF	125 x 63mm
	EFS160063GF	160 x 63mm
	EFS180063GF	180 x 63mm
	EFS200063GF	200 x 63mm
	EFS225063GF	225 x 63mm
	EFS250063GF	250 x 63mm
Table B		EF Modular Tee SDR11 PN16 Georg Fischer
	Code	SizeOD / Description
	EFTT6320GF	63 x 20mm
	EFTT6325GF	63 x 25mm
	EFTT6332GF	63 x 32mm
	EFTT6340GF	63 x 40mm
	EFTT6363GF	63 x 63mm
	EFTTD6363GF	63 x 63mm Deep Cutter
	* to be used +GF+ Modular Saddle (EFS....above)	

EF Tapping Tee with isolation valve SDR11 PN16 Georg Fischer



EFTTV6332GF

EFTTV6363GF

EF Monoblock Tapping Saddle SDR11 PN16 Georg Fischer



EFTTM063020GF 63 x 20mm

EFTTM063025GF 63 x 25mm

EFTTM125025GF 125 x 25mm

EFTTM125063GF 125 x 63mm

EFTTM160025GF 160 x 25mm



TAPKEYLIMITGF

Tapping Tool with Limits Monobloc
Saddle and Tapping Tees above



TAPPINGKEYGF

Tapping Tool Monobloc Saddle and
Tapping Tees above

EF Branch Saddle SDR11 PN16 Branch 90 -125mm



EFBS110090GF 110 x 90mm branch

EFBS110110GF 110 x 110mm branch

EFBS120110GF 120 x 110mm branch

EFBS125090GF 125 x 90mm branch

EFBS125110GF 125 x 110mm branch

EFBS140063GF 140 x 63mm branch

EFBS140090GF 140 x 90mm branch

EFBS140110GF 140 x 110mm branch

EFBS160090GF 160 x 90mm branch

EFBS160110GF 160 x 110mm branch

EFBS160125GF 160 x 125mm branch

EFBS180110GF 180 x 110mm branch

EFBS180125GF 180 x 125mm branch

EFBS200090GF 200 x 90mm branch

EFBS200110GF 200 x 110mm branch

EFBS200125GF 200 x 125mm branch

EFBS225090GF 225 x 90mm branch

EFBS225110GF 225 x 110mm branch

EFBS225125GF 225 x 125mm branch

EFBS250110GF 250 x 110mm branch

EFBS250125GF 250 x 125mm branch

PE Spigot Fittings SDR11/PN16

Butt weld fittings must be welded to the same size SDR rating. Any mismatch in wall thickness is not allowed as the weld will not form properly.

	Code	Size OD/Description
	PE Stub Flange Long Spigot SDR11 PN16 Georg Fischer	
	BWSF063GF	63mm
	BWSF075GF	75mm
	BWSF090GF	90mm
	BWSF110GF	110mm
	BWSF125GF	125mm
	BWSF140GF	140mm
	BWSF160GF	160mm
	BWSF180GF	180mm
	BWSF200GF	200mm
	BWSF225GF	225mm
	BWSF250GF	250mm

Stub Flanges will need a backing ring - refer to the backing rings for PE pipe section

	90° Elbows Long Spigot SDR11 PN16 Georg Fischer	
	BWE02090GF	20mm
	BWE02590GF	25mm
	BWE03245GF	32mm
	BWE04045GF	40mm
	BWE05090GF	50mm
	BWE06390GF	63mm
	BWE07590GF	75mm
	BWE09090GF	90mm
	BWE11090GF	100mm
	BWE12590GF	125mm
	BWE14090GF	140mm
	BWE16090GF	160mm
	BWE18090GF	180mm
	BWE20090GF	200mm
	BWE22590GF	225mm
	BWE25090GF	250mm

45° Elbows Long Spigot SDR11 PN16 Georg Fischer

BWE02045GF	20mm
BWE02545GF	25mm
BWE03245GF	32mm
BWE04045GF	40mm
BWE05045GF	50mm
BWE06345GF	63mm
BWE07545GF	75mm
BWE09045GF	90mm
BWE11045GF	110mm
BWE12545GF	125mm
BWE14045GF	140mm
BWE16045GF	160mm
BWE18045GF	180mm
BWE20045GF	200mm
BWE22545GF	225mm
BWE25045GF	250mm

11° Elbow Long Spigot SDR11 PN16 Fabricated

BWE12511.F	125mm
BWE18011.F	180mm

Equal Tee Spigot SDR11 PN16 Georg Fischer

BWT020GF	20mm
BWT025GF	25mm
BWT032GF	32mm
BWT040GF	40mm
BWT050GF	50mm
BWT063GF	63mm
BWT075GF	75mm
BWT090GF	90mm
BWT110GF	110mm
BWT125GF	125mm
BWT140GF	140mm
BWT160GF	160mm
BWT180GF	180mm
BWT200GF	200mm
BWT225GF	225mm
BWT250GF	250mm

Full Face Flange SDR11/13.6 PN16 AS4087**Assembled with a Stainless Steel or Fusion Bonded Backing Ring****Fusion Bonded Epoxy Coated Backing Ring**

BWSFF250200-C	250mm / DN200
---------------	---------------

Stainless Backing Ring

BWSFF250200-SS	250mm / DN200
----------------	---------------

Backing Rings Suitable for PE Pipe

	Code	Size OD / Description
Backing Ring Nylon BW Table D		
	BWBRN063	63mm / DN50
	BWBRN090	90mm / DN80
	BWBRN110	110mm / DN100
	BWBRN125	125mm / DN100
	BWBRN160	160mm / DN150
	BWBRN180	180mm / DN150
	BWBRN200-225	225mm / DN200
	BWBRN250	250mm / DN250
Backing Ring Galvanised BW Table E		
	BWBRG160E	160mm / DN150
	BWBRG180E	180mm / DN150
	BWBRG225E	225mm / DN200
	BWBRG250E	250mm / DN250
Backing Ring Nylon Coated Table E		
	BWBRN125E	125mm / DN100
	BWBRN160E	160mm / DN150
	BWBRN180E	180mm / DN150
	BWBRN225E	225mm / DN200
	BWBRN250E	250mm / DN250
Stainless Steel Backing Ring Table D		
	BWBRSS063	63mm / DN50
	BWBRSS075	75mm / DN65
	BWBRSS090	90mm / DN80
	BWBRSS110	110mm / DN100
	BWBRSS125	125mm / DN100
	BWBRSS140	140mm / DN125
	BWBRSS160	160mm / DN150
	BWBRSS180	180mm / DN150
	BWBRSS200	200mm / DN200
	BWBRSS225	225mm / DN200
	BWBRSS250	250mm / DN250

Dressing Sets Gaskets and Bolts


	Code	Size / Description
Dressing Set Potable EPDM Blue Gasket Set Table D		
cw SS Bolts, Nuts and Washers		
	DSSSHP	Hydrant 75mm Bolts
	DSSS08075P	80mm 75mm Bolts
	DSSS100P	100mm 75mm Bolts
	DSSS10090P	100mm 90mm Bolts
	DSSS100110P	100mm 110mm Bolts
	DSSS150P	150mm 75mm Bolts
	DSSS150100P	150mm 100mm Bolts
	DSSS150110P	150mm 110mm Bolts
	DSSS200090P	200mm 90mm Bolts
	DSSS200120P	200mm 120mm Bolts
	DSSS250P	250mm 90mm Bolts
	DSSS250110P	250mm 110mm Bolts
	DSSS250120P	250mm 120mm Bolts
Dressing Set Potable EPDM Blue Gasket Set		
Table D cw Galv Bolts, Nuts and Washers		
	DSGBPM16065	65mm 4xM16 Bolts
	DSGBPM16075	75mm 4xM16 Bolts
	DSGBPM16090	90mm 4xM16 Bolts
	DSGBPM16110	110mm 4xM16 Bolts
	DSGBPM20075	75mm 4xM20 Bolts
	DSGBPM20090	90mm 4xM20 Bolts
	DSGBPM20110	110mm 4xM20 Bolts
Non Potable Insert Rubber Black Gasket Set		
Table D cw SS Bolts, Nuts and Washers		
	DSSS050NP	80mm 65mm Bolts
	DSSSH	Hydrant 75mm Bolts
	DSSS08075NP	80mm 75mm Bolts
	DSSS100NP	100mm 75mm Bolts
	DSSS10090NP	100mm 90mm Bolts
	DSSS100110NP	100mm 110mm Bolts
	DSSS150NP	150mm 75mm Bolts
	DSSS150100NP	150mm 100mm Bolts
	DSSS150110NP	150mm 110mm Bolts
	DSSS200	200mm 75mm Bolts
	DSSS200090NP	200mm 90mm Bolts
	DSSS200110NP	200mm 110mm Bolts
	DSSS250090NP	250mm 90mm Bolts
	DSSS250110NP	250mm 110mm Bolts
	DSSS250120NP	250mm 120mm Bolts

**Bolt Packs Stainless Steel Molybonded
Contains 4 Nuts & 8 Washers**




BSSMB16050P	4xM16 x 50mm Bolts
BSSMB16065P	4xM16 x 65mm Bolts
BSSMB16075P	4xM16 x 75mm Bolts
BSSMB16090P	4xM16 x 90mm Bolts
BSSMB16100P	4xM16 x 100mm Bolts
BSSMB16110P	4xM16 x 110mm Bolts
BSSMB16120P	4xM16 x 120mm Bolts
BSSMB20090P	4xM20 x 90mm Bolts
BSSMB20110P	4xM20 x 110mm Bolts
BSSMB20120P	4xM20 x 120mm Bolts
BSSMB20130P	4xM20 x 130mm Bolts

Gasket only EPDM Potable Water Blue



FGHP	Hydrant
FG050P	50mm Flange Table D & E
FG080P	80mm Flange Table D & E
FG100P	100mm Flange Table D & E
FG150P	150mm Flange Table D
FG200P	200mm Flange Table D
FG250P	250mm Flange Table D

Gasket Flange Non Potable Insertion Rubber Black



FGH	Hydrant
FG050	Ø50mm Flange Table D & E
FG080	Ø80mm Flange Table D & E
FG100	Ø100mm Flange Table D
FG150	Ø150mm Flange Table D
FG200	Ø200mm Flange Table D
FG250	Ø250mm Flange Table D

Tapping Bands & Saddles

	Code	Size / Description
Tapping Band Gun Metal Suitable for AC - Series 2 Pipe Sizing		
	TBAM05020	50 x 20mm
	TBAM05025	50x25mm
	TBAM08020	80x20mm
	TBAM08025	80x25mm
	TBAM10020	100x20mm
	TBAM10025	100x25mm
	TBAM10050	100x50mm
	TBAM15020	150x20mm
	TBAM15025	150x25mm
	TBAM15050	150x50mm
	TBAM20020	200x20mm
	TBAM20025	200x25mm
	TBAM20050	200x50mm
	TBAM22520	225x20mm
	TBAM22550	225x50mm
	TBAM25020	250x20mm
	TBAM25025	250x25mm
	TBAM25050	250x50mm
Tapping Band Gun Metal Suitable for PVC - Series 1 pipe sizing		
	TBPM04020	40x20mm
	TBPM04025	40x25mm
	TBPM05020	50x20mm
	TBPM05025	50x25mm
	TBPM06520	65x20mm
	TBPM06525	65x25mm
	TBPM08020	80x20mm
	TBPM08025	80x25mm
	TBPM08050	80x50mm
	TBPM10020	100x20mm
	TBPM10025	100x25mm
	TBPM10050	100x50mm
	TBPM12550	125x50mm
	TBPM15020	150x20mm
	TBPM15025	150x25mm
	TBPM15050	150x50mm
	TBPM15520	155x20mm
	TBPM15550	155x50mm
	TBPM17525	175x25mm
	TBPM20020	200x20mm
	TBPM20025	200x25mm
	TBPM20050	200x50mm
	TBPM22520	225x20mm
	TBPM22525	225x25mm

TBPM22550	225x50mm
TBPM25020	250x20mm
TBPM25025	250x25mm
TBPM25050	250x50mm

Tapping Band Gun Metal MDPE



TBPEM06320	63x20mm
TBPEM06325	63X25mm

4N Tapping Band - PE



4N Black For PE pipe

TBPE063204N	63x20mm
TBPE063254N	63x25mm
TBPE090204N	90X20mm
TBPE090254N	90X25mm
TBPE090324N	90X32mm
TBPE090404N	90X40mm
TBPE090504N	90X50mm
TBPE110204N	90X110mm
TBPE110204N	110x25mm
TBPE110324N	110x32mm
TBPE110404N	110x40mm
TBPE110504N	110x50mm
TBPE125204N	125x20mm
TBPE125324N	125x32mm
TBPE125254N	125x25mm
TBPE125404N	125x40mm
TBPE125504N	125x50mm
TBPE160204N	160x20m
TBPE160254N	160x25mm
TBPE160324N	160x32mm
TBPE160404N	160x40mm
TBPE160504N	160x50mm
TBPE180204N	180x20mm
TBPE180254N	180x25mm
TBPE180504N	180x50mm

Self Tapping Ferrules



TB0014	Ferrule Talbot 15mm
TB0019	Ferrule 20mm
TB0025	Ferrule 25mm
TB0020ST	Ferrule 20mm Self Tapping
TBSTFL20	Ferrule 20mm Self Tapping - Extended

Self Tapping Ferrules - Extended



TBSTFL20	20mm For 4N PE Tapping Bands
KEYF25	Ferrule Key 25mm
KEYF32	Ferrule Key 32mm

Rapid Repair Clamps: for dedicated and multiple sized pipe

Pipe Sizing Table		
NB	OD Copper	OD Galv
15mm	12.7mm	21.3mm
20mm	19.0mm	26.7mm
25mm	25.4mm	33.4mm
32mm	31.75mm	42.2mm
40mm	38.1mm	48.3mm
NB	OD PVC	OD AC
40mm	45-51mm	NA
50mm	59-67mm	NA
65mm	69-76mm	NA
80mm	85-95mm	95-104mm
100mm	110-120mm	120 -131mm
125mm	135-145mm	167 -178mm
150mm	160-170mm	174 -183 mm
175mm	196-205mm	NA
200mm	218-228mm	229 -238mm
225mm	248-257mm	255 -265mm
250mm	271-281mm	281-290mm
300mm	322-331mm	343 -355mm
400mm	440-460mm	NA
500mm	550-570mm	NA
575mm	610-640mm	NA
600mm	650-680mm	NA

Code		Size / Description
	Clamps Rapid Half Circle Stainless Steel Suitable for Galv Pipe	
	CRSS015G75H	15mm x 75mm
	CRSS015G150H	15mm x 150mm
	CRSS020G75H	20mm x 75mm
	CRSS020G150H	20mm x 150mm
	CRSS025G75H	25mm x 75mm
	CRSS025G150H	25mm x 150mm
	CRSS032G75H	32mm x 75mm
	CRSS032G150H	32mm x 150mm
	CRSS040G75H	40mm x 75mm
	CRSS040G150H	40mm x 150mm
	CRSS050G75H	50mm x 75mm
	CRSS050G150H	50mm x 150mm
	CRSS065G75H	65mm x 75mm
	CRSS065G150H	65mm x 150mm
	CRSS075G75H	75mm x 75mm
	CRSS075G150H	75mm x 150mm
	CRSS100G75H	100mm x 75mm
	CRSS100G150H	100mm x 150mm
Repair Clamps Rapid (Full Circle) Stainless Steel		
	Suitable for Galvanised Pipe	
	CRSS015G75F	15mm x 75mm
	CRSS015G150F	15mm x 150mm
	CRSS020G75F	20mm x 75mm
	CRSS020G150F	20mm x 150mm
	CRSS025G75F	25mm x 75mm
	CRSS025G150F	25mm x 150mm
	CRSS032G75F	32mm x 75mm
	CRSS032G150F	32mm x 150mm
	CRSS040G75F	40mm x 75mm
	CRSS040C150F	40mm x 150mm
	Suitable for Copper Pipe	
	CRSS015C75F	15mm x 75mm
	CRSS015C150F	15mm x 150mm
	CRSS020C75F	20mm x 75mm
	CRSS020C150F	20mm x 150mm
	CRSS025C75F	25mm x 75mm
	CRSS025C150F	25mm x 150mm
	CRSS032C75F	32mm x 75mm
	CRSS032C150F	32mm x 150mm
	CRSS040C75F	40mm x 75mm
	CRSS040C150F	40mm x 150mm



Suitable for PVC Pipe	
CRSS040PVC300	40mm x 300mm
CRSS050PVC150	50mm x 150mm
CRSS050PVC300	50mm x 300 mm
CRSS065PVC150	65mm x 150mm
CRSS065PVC300	65mm x 300mm
CRSS080PVC150	80mm x 150mm
CRSS080PVC300	80mm x 300mm
CRSS100PVC200	100mm x 200mm
CRSS125PVC200	125mm x 200mm
CRSS125PVC300	125mm x 300mm
CRSS150PVC200	150mm x 200mm
CRSS150PVC300	150mm x 300mm
CRSS175PVC200	175mm x 200mm
CRSS175PVC300	175mm x 300mm
CRSS200PVC200	200mm x 200mm
CRSS200PVC300	200mm x 300mm
CRSS225PVC300	225mm x 300mm
CRSS250PVC300	250mm x 300mm
CRSS300PVC300	300mm x 300mm
CRSS300PVC400	300mm x 400mm
CRSS375PVC400	375mm x 400mm
CRSS400PVC400	400mm x 400mm
CRSS450PVC400	450mm x 400mm
CRSS500PVC400	500mmx 400mm
CRSS575PVC400	575mmx 400mm
CRSS600PVC400	600mm x 400mm
Tapped 50 mm	
CRSS150PVCT50	150mm x 200mm
Suitable for Asbestos Cement Pipe	
CRSS080AC150	80mm x 150mm
CRSS080AC300	80mm x 300 mm
CRSS100AC200	100mm x 200mm
CRSS150AC200	150mm x 200mm
CRSS150AC300	150mm x 300mm
CRSS150AC200XL	150XLmm x 200mm
CRSS150AC300XL	150XLmm x 300mm
CRSS200AC200	200mm x 200mm
CRSS200AC400	200mm x 400mm
CRSS225AC300	225mm x 300mm
CRSS250AC300	250mm x 300mm
CRSS300AC300	300mm x 300mm
CRSS300AC400	300mm x 400mm
CRSS375AC400	375mm x 400mm



Tapped 50mm	
CRSS100ACT50	100mm x 200mm
CRSS150ACT50	150mm x 200mm
Suitable for Asbestos Cement to PVC Pipe	
CRSS100ACPVC200	100mm x 200mm
CRSS100ACPVC400	100mm x 400mm
Tapped 50mm	
CRSS100ACPVCT50	100mm x 200mm



Saddles Easi Clamp - Viking Johnson	
EC050	50mm (66-75mm OD)
EC065	65mm (75-84mm OD)
EC080	80mm (92.3-103mm OD)
EC100	100mm (115-125mm OD)
EC125	125mm (141-154mm OD)
EC150	150mm (166-181mm OD)
EC175	175mm (200-210mm OD)
EC200	200mm (217-226mm OD)
EC200L	200mm (230-243mm OD)
EC225	225mm (243-267mm OD)
EC250	250mm (269-294mm OD)
EC300	300mm (323-349mm OD)



Saddles EasiTap - Viking Johnson Tapped 50mm	
EC100T50	100mm (115-125mm OD)
EC150T50	150mm (166-181mm OD)
EC200T50	200mm (230-243mm OD)
EC200T50S	200mm (217-226mm OD)
EC225T50	225mm (243-267mm OD)
EC250T50	250mm (269-294mm OD)
EC300T50	300mm (323-349mm OD)

Brass Fittings

	Code	Size / Description
Elbow 90° Threaded		
	BE015	15mm
	BE020	20mm
	BE025	25mm
	BE032	32mm
	BE040	40mm
	BE050	50mm
Tee Threaded		
	BT015	15mm
	BT020	20mm
	BT025	25mm
	BT032	32mm
	BT040	40mm
	BT050	50mm
Hex Nipple		
	BHN015	15mm
	BHN020	20mm
	BHN025	25mm
	BHN032	35mm
	BHN040	40mm
	BHN050	50mm
Reducing Hex Nipple		
	BRN01510	15 x 10mm
	BRN02015	20 x 15mm
	BRN02515	25 x 15mm
	BRN02520	25 x 20mm
	BRN03215	32 x 15mm
	BRN03220	32 x 20mm
	BRN03225	32 x 25mm
	BRN04020	40 x 20mm
	BRN04025	40 x 25mm
	BRN04032	40 x 32mm
	BRN05020	50 x 20mm
	BRN05025	50 x 25mm
	BRN05032	50 x 32mm
	BRN05040	50 x 40mm

Barrell Nipple



BBN015040	15 × 40mm
BBN015050	15 × 50mm
BBN015060	15 × 60mm
BBN015070	15 × 70mm
BBN015075	15 × 75mm
BBN015080	15 × 80mm
BBN015100	15 × 100mm
BBN015150	15 × 150mm
BBN020040	20 × 40mm
BBN020050	20 × 50mm
BBN020060	20 × 60mm
BBN020070	20 × 70mm
BBN020075	20 × 75mm
BBN020080	20 × 80mm
BBN020100	20 × 100mm
BBN020150	20 × 150mm
BBN025040	25 × 40mm
BBN025050	25 × 50mm
BBN025060	25 × 60mm
BBN025070	25 × 70mm
BBN025080	25 × 80mm
BBN025100	25 × 100mm
BBN025150	25 × 150mm
BBN032050	32 × 50mm
BBN032060	32 × 60mm
BBN032080	32 × 80mm
BBN032100	32 × 100mm
BBN040050	40 × 50mm
BBN040060	40 × 60mm
BBN040070	40 × 70mm
BBN040080	40 × 80mm
BBN040100	40 × 100mm
BBN040150	40 × 150mm
BBN050050	50 × 50mm
BBN050060	50 × 60mm
BBN050070	50 × 70mm
BBN050080	50 × 80mm
BBN050100	50 × 100mm
BBN050150	50 × 150mm
BBN050150TOE	Barrel Nipple Brass Ø50 150mm Threaded One End

Threaded Socket



BS015	15mm
BS020	20mm
BS025	25mm
BS032	32mm
BS040	40mm
BS050	50mm

Threaded Mac Union Female		
	BMUF025	25mm
	BMUF032	32mm
	BMUF040	40mm
	BMUF050	50mm
Threaded Mac Union Male /Female		
	BMUMF025	20mm
	BMUMF050	50mm
Threaded Cap		
	BBC015	15mm
	BBC020	20mm
	BBC025	25mm
	BBC032	32mm
	BBC040	40mm
	BBC050	50mm
Threaded Plug		
	BP015	15mm
	BP020	20mm
	BP025	25mm
	BP032	32mm
	BP040	40mm
	BP050	50mm
Crox Nut		
	BCN015	15mm
	BCN020	20mm
	BCN025	25mm
	BCN032	32mm
	BCN040	40mm
	BCN050	50mm
	GR015	Gland Ring 15mm (Relf Ring)
	GR020	Gland Ring 20mm (Relf Ring)
Crox Elbow		
	BCE015	15mm
	BCE020	20mm
	BCE025	25mm
	BCFE015N	20mm Female x 1 Nut
	BCFE020N	20mm Female x 1 Nut
	BCFE025N	25mm Female x 1 Nut
Crox Elbow Male		
	BCME015N	15mm
	BCME020N	20mm
	BCME025N	25mm

Elbow Bracket Female



BPBE015	15mm
BPBE020	20mm

Brass Crox Tee Male



BCMT015N	15mm w Nuts
BCMT025N	25mm w Nuts

Crox Nut Olive



CCG015	15mm
CCG020	20mm
CCG025	25mm
CCG032	32mm

Brass Reducing Bush



BRB01508	15 x 8mm
BRB02015	20 x 15mm
BRB02515	25 x 15mm
BRB02520	25 x 20mm
BRB03215	32 x 15mm
BRB03220	32 x 20mm
BRB03225	32 x 25mm
BRB04020	40 x 20mm
BRB04025	40 x 25mm
BRB04032	40 x 32mm
BRB05015	50 x 15mm
BRB05020	50 x 20mm
BRB05025	50 x 25mm
BRB05032	50 x 32mm
BRB05040	50 x 40mm

Brass Reducing Socket MF



BRMFS02015	20-15 M&F
BRMFS02515	25-15 M&F
BRMFS02520	25-20 M&F
BRMFS03220	32-20 M&F
BRMFS03225	32-25 M&F
BRMFS04032	40-32 M&F
BRMFS05040	50-40 M&F

Brass Reducing Socket FF



BRS02015	20 x 15mm
BRS02515	25 x 15mm
BRS02520	25 x 20mm

Socket MF		
	BMFS015	15mm
	BMFS01532LT	15mm x 32mm L
	BMFS020	20mm
	BMFS025	25mm
	BMFS032	32mm
	BMFS040	40mm
	BMFS050	50mm
Threaded Tube Diameter x Length		
	BTUBE15.600	15mm x 600mm
	BTUBE20.600	20mm x 600mm
	BTUBE25.600	25mm x 600mm
	BTUBE32.600	32mm x 600mm
	BTUBE40.600	40mm x 600mm
	BTUBE50.450	50mm x 450mm
Domestic Water Meter Accessories		
Water Meter Nut & Tail		
	WMN&T020C	Nut & Tail Ø20 x 2 Complete Coupling Set Water Meter
	WMN&T025C	Nut & Tail Ø25 x 2 Complete Set Water Meter
	WMN&T032C	Nut & Tail Ø32 x 2 Complete Coupling Set Water Meter
	WMN&T040C	Nut & Tail Ø40 x 2 Complete Coupling Set Water Meter
	WMN&T050C	Nut & Tail Ø50 x 2 Complete Coupling Set Water Meter
c/w Non Return Valve		
	WMNR015	Ø15 c/w Non Return Valve
	WMNR020	Ø20 c/w Non Return Valve
Water Meter Nut		
	WMN015	Ø15mm
	WMN020	Ø20mm
Water Meter Washer		
	WMW015	Ø15mm
	WMW020	Ø20mm
	WMW025	Ø25mm
	WMW032	Ø32mm
	WMW040	Ø40mm

Galvanised Fittings

	Code	Size Description
Riken Fittings		
	Coupler	
	GRC015	Galv Riken Coupling 15mm
	GRC020	Galv Riken Coupling 20mm
	GRC025	Galv Riken Coupling 25mm
	GRC032	Galv Riken Coupling 32mm
	GRC040	Galv Riken Coupling 40mm
	GRC050	Galv Riken Coupling 50mm
Male Adaptor		
	GRMC015	Galv Riken Male Coupling 15mm
	GRMC020	Galv Riken Male Coupling 20mm
	GRMC025	Galv Riken Male Coupling 25mm
	GRMC032	Galv Riken Male Coupling 32mm
	GRMC040	Galv Riken Male Coupling 40mm
	GRMC050	Galv Riken Male Coupling 50mm
Plug		
	GP065P	Plug Galv Ø65
Reducing Bush Galv		
	GRB05040	50 x 40mm
	GRB06550	65 x 50mm
	GRB08050	80 x 50mm
	GRB08065	80 x 65mm
Hex Nipple		
	GHN050	50mm
	GHN065	65mm
	GHN080	80mm
	GHN080	
Threaded Flange Table D		
	GF040D	Ø40mm
	GF050D	Ø50mm

Hansen Nylon - LDPE Fittings

	Code	Size (OD) Description
Coupler - Straight		
	LDF-C15	15mm
	LDF-C20	20mm
	LDF-C25	25mm
	LDF-C32	32mm
	LDF-C40	40mm
	LDF-C50	50mm
Coupler - Threaded (BSP) Female		
	LDF-CF25	25mm x 1"
	LDF-CF32	32mm x 1¼"
	LDF-CF40	40mm x 1½"
	LDF-CF50	50mm x 2"
Coupler - Threaded (BSP) Male		
	LDF-CM25	25mm x 1"
	LDF-CM32	32mm x 1¼"
	LDF-CM40	40mm x 1½"
	LDF-CM50	50mm x 2"
Coupler - Reducing		
	LDF-CR2015	20 x 15mm
	LDF-CR2520	25 x 20mm
	LDF-CR3225	32 x 25mm
Elbow - Threaded (BSP) Male/Female		
	LDF-EMFT15	15mm x ½"
	LDF-EMFT20	20mm x ¾"
	LDF-EMFT25	25mm x 1"
	LDF-EMFT32	32mm x 1¼"
	LDF-EMFT40	40mm x 1½"
	LDF-EMFT50	50mm x 2"
Elbow - Threaded (BSP) Female		
	LDF-ET20	20mm x ¾"
	LDF-ET32	32mm x 1¼"
	LDF-ET40	40mm x 1½"
	LDF-ET50	50mm x 2"

Elbow - Bracket Threaded (BSP)



LDF-BE15	15mm x 1/2"
LDF-BE20	20mm x 3/4"

Bend



LDF-B15	15mm
LDF-B20	20mm
LDF-B25	25mm
LDF-B32	32mm
LDF-B50	50mm

Bend - Threaded (BSP) Female



LDF-BF15	15mm x 1/2"
LDF-BF20	20mm x 3/4"
LDF-BF25	25mm x 1"
LDF-BF32	32mm x 1 1/4"

Bend - Threaded (BSP) Male (Long)



LDF-BML15	15mm x 1/2"
LDF-BML20	20mm x 3/4"
LDF-BML25	25mm x 1"

Bend - Threaded (BSP) Male (Short)



LDF-BMS20	20mm x 3/4"
LDF-BMS25	25mm x 1"
LDF-BMS32	32mm x 1 1/4"
LDF-BMS40	40mm x 1 1/2"

Reducing Bush



LDF-BR2015	20 x 15mm
LDF-BR2515	25 x 15mm
LDF-BR2520	25 x 20mm
LDF-BR3220	32 x 20mm
LDF-BR3225	32 x 25mm
LDF-BR4020	40 x 20mm
LDF-BR4025	40 x 25mm
LDF-BR4032	40 x 32mm
LDF-BR5020	50 x 20mm
LDF-BR5025	50 x 25mm
LDF-BR5032	50 x 32mm
LDF-BR5040	50 x 40mm
LDF-BR6550	65 x 50mm

Tee - Equal		
	LDF-T15	15mm
	LDF-T20	20mm
	LDF-T25	25mm
	LDF-T32	32mm
	LDF-T50	50mm
Tee - Equal Easyfit Threaded BSP Female		
	LDF-TF20	20mm
	LDF-TF25	25mm
	LDF-TF32	32mm
	LDF-TF50	50mm
Equal Tee Threaded BSP Female		
	LDF-TT15	15mm
	LDF-TT20	20mm
	LDF-TT25	25mm
	LDF-TT32	32mm
	LDF-TT50	50mm
Tee - Reducing - Mainway x Branch		
	LDF-TR201520	20 x 15mm
	LDF-TR251525	25 x 15mm
	LDF-TR252025	25 x 15mm
Hex End Cap (BSP)		
	LDF-CH15	15mm x 1/2"
	LDF-CH20	20mm x 3/4"
	LDF-CH25	25mm x 1"
	LDF-CH40	40mm x 1 1/2"
	LDF-CH50	50mm x 2"
Hex Nipple (BSP)		
	LDF-NH15	15mm x 1/2"
	LDF-NH20	20mm x 3/4"
	LDF-NH25	25mm x 1"
	LDF-NH32	32mm x 1 1/4"
	LDF-NH40	40mm x 1 1/2"
	LDF-NH50	50mm x 2"

Reducing Hex Nipple (BSP)



LDF-NH2015	20-15mm x ¾" - ½"
LDF-NH2515	25-15mm x 1" - ½"
LDF-NH2520	25-20mm x 1" - ¾"
LDF-NH3220	32-20mm x 1¼" - ¾"
LDF-NH3225	32-25mm x 1¼" - 1"
LDF-NH4020	40-20mm x 1¾" - ¾"
LDF-NH4025	40-25mm x 1½" - 1"
LDF-NH4032	40-32mm x 1½" - 1¼"
LDF-NH5020	50-20mm x 2" - ¾"
LDF-NH5025	50-25mm x 2" - 1"
LDF-NH5032	50-32mm x 2" - 1¼"
LDF-NH5040	50-40mm x 2" - 1½"

Hex Plug



LDF-PH15	15mm x ½" BSP
LDF-PH20	20mm x ¾" BSP
LDF-PH25	25mm x 1" BSP
LDF-PH32	32mm x 1¼" BSP
LDF-PH40	40mm x 1½" BSP
LDF-PH50	50mm x 2" BSP

Hex Socket



LDF-SH20	20mm x ¾" BSP
LDF-SH25	25mm x 1" BSP
LDF-SH32	32mm x 1¼" BSP
LDF-SH40	40mm x 1½" BSP
LDF-SH50	50mm x 2" BSP

Hex Reducing Socket



LDF-SH2015	20-15mm x ¾" BSP - ½" BSP
LDF-SH2520	25-20mm x 1" BSP - ¾" BSP
LDF-SH3225	32-25mm x 1¼" BSP - 1" BSP
LDF-SH4032	40-32mm x 1½" BSP - 1¼" BSP

Hex Tank Plug LDPE Black



LDF-TFFB20	20mm
LDF-TFFB25	25mm
LDF-TFFB32	32mm
LDF-TFFB50	50mm

Surface Boxes for Water Applications: All boxes are Cast Iron unless stated.

	Code	Size / Description
Hydrant Box Set includes Frame and Cover		
	SBDI3823FH	Service Box DI Fire Hydrant 380x230mm Class D HPS
Water Meter Box Set -Includes Frame and Cover		
	SBDI3823WM	Service Box DI Water Meter 380x230mm Class D HPS
Sluice Valve Box Set includes Frame and Cover		
	SBDI2222V	Service Box DI Valve 225x225mm Class D HPS
Toby Box Set includes Frame and Cover		
	BVCIR150	150mm
	TOBYCI-HCCS	135mm Hamilton City Council


Concrete Surface Box Surrounds & Non Ferrous Surface Boxes

	Code	Size / Description
Concrete Hydrant Box Options		
	HBRIS075	Hydrant Box Riser Conc National 75mm High
	HBRIS100	Hydrant Box Riser Conc National 100mm High
	HBRIS150	Hydrant Box Riser Conc National 150mm High
	HBSUR150	Hydrant Box Conc National c/w DI FH C&F Yellow 150mm High
	HBSUR150SE	Hydrant Box Conc National c/w DI FH C&F Steel Edge 150 High
	HBBASE140	Hydrant Box Base Block Conc National 140mm High
Concrete Valve Box Options		
	VBBASE140	Valve Box Base Block Conc National 140mm High
	VBRIS075	Valve Box Riser Conc National 75mm High
	VBRIS100	Valve Box Riser Conc National 100mm High
	VBRIS150	Valve Box Riser Conc National 150mm High
	VBSUR150	Valve Box Conc National c/w DI V C&F 150mm High
	VBSUR150SE	Valve Box Conc National c/w DI V C&F Steel Edge 150 High
Wooden Meter Box w/ Galv Lid		
	BMGLT1	Meter Box Lid Galv 500 x 350mm Type 1
	BMGLT2	Meter Box Lid Galv 650 x 450mm Type 2
	BMGLT3	Meter Box Lid Galv 750 x 650mm Type 3
Wooden Meter Box Riser		
	BMWR500350	Wooden Box Riser 500 x 350mm
	BMWR650450	Wooden Box Riser 650 x 450mm
	BMWR750650	Wooden Box Riser 750 x 650mm
Meter Box Poly		
	BMRTBASE	Reverse Taper
	BMRTLTP	Taper Low Profile Black Lid
	BMRTLTPB	Taper Low Profile Blue Lid
	BMRTTB	Taper Tall Profile Blue Lid
	BMSLP	Standard Low Profile Black Lid
	BMSLPB	Standard Low Profile Blue Lid
	BMSTB	Standard Tall Profile Blue Lid
	BVR150	Valve Box Ø150 Blue Lid
	BVR150R	Valve Box Ø150 Red Lid
	BSVULPB	Sluice Valve Box Univ. Low
	TOBYPS-SQT	Toby Box Poly 150x150 Squat Sq
Acuflo Meter Box		
	BMA305	Meter Box Poly 305Hmm Blue Lid Acuflo
	BMA305B	Meter Box Poly 305Hmm Black Lid Acuflo
	BMAB	Meter Box Base Poly Acuflo
	BMABC	Meter Box Base Poly Composite Acuflo
	BMRTTIG	Meter Box Poly Irrigation Rev Taper Tall Profile Green Lid

Strainers, Manifolds, Meters, Boxes & Accessories

	Code	Size Description
Strainers		
	Wye Strainer - Brass Female/Female BSP	
	VCYS015	Ø15mm
	VCYS020	Ø20mm
	VCYS025	Ø25mm
	VCYS032	Ø32mm
	VCYS040	Ø40mm
	VCYS050	Ø50mm
	Basket Strainer Flanged WPDF Sensus	
	WMWPDF050	Ø50mm
	WMWPDF080	Ø80mm
	WMWPDF100	Ø100mm
	WMWPDF150	Ø150mm
	WMWPDF200	Ø200mm
Domestic Boundary Control Valves (BCV) & Manifold Meter Bases		
	Acuflo BCV Manifold Base - Brass GM900S c/w Blanking Cap	
	MANIFOLD20GM900	Ø20mm
	MANIFOLD25GM900	Ø25mm
	MANIFOLD20FC0.7	Ø20mm with restricted flow 0.4-23L/min
	RMC	
	MANIFOLDGMRMC	Ø20mm
	Acuflo BCV Manifold Base - Composite GMSA9005 c/w Blanking Cap	
	MANIFOLD20CM2000	Ø20mm
	Acuflo BCV Manifold Base - Brass GM9005 c/w 620 Sensus Water Meter	
	WMMA020-620M	Ø20mm

Strongcast BCV Manifold Base



MANIFOLD20SCAST	Ø20mm
MANIFOLD20SCPE	Ø20mm c/w Ø25 PE Connections, Strainer, Dual Check Valve & Cap
MANIFOLD20SCBSP	Ø20 c/w BSP Strainer, Dual Check Valve & Cap

Strongcast Lockable Ball Valve & Dual Check Valve Combo BSP



WMBOXCHBSP	20 (F) & 25 (M) mm BSP
------------	------------------------

Domestic Manifold Water Meters



itron

WMM40R160BA	Water Meter Manifold Brass Q3=2.5 m3/h R160 Aquadis +
WMM40R160CA	Water Meter Manifold Ccomp Q3=2.5 m3/h R160 Aquadis +



Honeywell

WMMSM2.5	Ø40 POLY V210P 2.5 Class C
WMMSM2.5B	Ø40 Brass V210P 2.5 Class C

Domestic Inline Water Meters

Brass itron Inline



WM15R315134CA	Water Meter 15Ø Comp Inline Q3=2.5m3/h R315 L135 Aquadis +
WM15R400135BA	Water Meter 15Ø Br Inline Q3=2.5m3/h R400 L135 Aquadis +
WM20R160165BA	Water Meter 20Ø Br Inline Q3=4m3/h R160 L165 Aquadis +
WM25R315BA	Water Meter 25Ø Br Inline Q3=6.3m3/h R315 Aquadis +
WM32R315BA	Water Meter 32Ø Br Inline Q3=6.3m3/h R315 Aquadis +
WM40R315BA	Water Meter 40Ø Br Inline Q3=16m3/h R315 Aquadis +
WM50R315FM	Water Meter 50Ø Q325 R315 L311 Flostar Mw Flange Kit

Brass PSM_T Class C Elster Kent



WMPSMT015	Ø15mm
WMPSMT020	Ø20mm
WMPSMT025	Ø25mm
WMPSMT040	Ø40mm
c/w Nuts and Tails	
WMPSMT015C	Ø15mm
WMPSMT020C	Ø20mm
WMPSMT025C	Ø25mm
WMPSMT032C	Ø32mm
WMPSMT040C	Ø40mm

Water Meter Nut & Tail



WMN&T015	Ø15mm
WMN&T020	Ø20mm
WMN&T025	Ø25mm
WMN&T032	Ø32mm
WMN&T040	Ø40mm

c/w Non Return Valve

WMNR015	Ø15 c/w Non Return Valve
WMNR020	Ø20 c/w Non Return Valve

Water Meter Nut



WMN015	Ø15mm
WMN020	Ø20mm

Water Meter Washer

WMW015	Ø15mm
WMW020	Ø20mm
WMW025	Ø25mm
WMW032	Ø32mm
WMW040	Ø40mm

Commercial Bulk Inline Water Meters - Flanged



Woltmann H400 Class B Honeywell

WMH050	Ø50mm
WMH080	Ø80mm
WMH100	Ø100mm
WMH150	Ø150mm

Honeywell Internals

WMH100MCH	Ø100mm with Internal Mechanism
WMH050MCH	Ø150mm with Internal Mechanism

Backflow Preventers Watts - Ready to install in Cage




BFPKIT20DCV	Backflow Boundary Kit 20mm 007 DCV Meter and Cage Complete
BFPKIT20DCVNM	Backflow Boundary Kit 20mm 007 DCV No Meter Cage Complete
BFPKIT20RPZ	Backflow Boundary Kit 20mm 009 RPZ Meter and Cage Complete
BFPKIT20RPZNM	Backflow Boundary Kit 20mm 009 RPZ No Meter Cage Complete
BFPKIT25DCV	Backflow Boundary Kit 25mm 007 DCV Meter and Cage Complete
BFPKIT25DCVNM	Backflow Boundary Kit 25mm 007 DCV No Meter Cage Complete
BFPKIT25RPZ	Backflow Boundary Kit 25mm 009 RPZ Meter and Cage Complete
BFPKIT25RPZNM	Backflow Boundary Kit 25mm 009 RPZ NO METER Cage Complete
BFPKIT50DCV	Backflow Boundary Kit 50mm 007 DCV Meter and Cage Complete
BFPKIT50DCVNM	Backflow Boundary Kit 50mm 007 DCV No Meter Cage Complete
BFPKIT50RPZ	Backflow Boundary Kit 50mm 009 RPZ Meter and Cage Complete
BFPKIT50RPZNM	Backflow Boundary Kit 50mm 009 RPZ NO METER Cage Complete

Meter/Backflow Upstand Assembly c/w 620 Sensus Water Meter & Wilkins 375 RPZ



WMSM40.20PS	Ø20mm
WMSM40.25PS	Ø25mm
WMSM40.50PS	Ø50mm



Without 620 Sensus Water Meter

STANDP020RPZC	Ø20mm
STANDP025RPZC	Ø25mm
STANDP050RPZC	Ø50mm

Backflow Preventors - Double Check Valves (DCV) - BSP



Watts Series 007 DCV - no Fittings

BFPW020	Ø20mm
BFPW025	Ø25mm
BFPW032	Ø32mm
BFPW040	Ø40mm
BFPW050	Ø50mm



Watts Series 007 DCV c/w Fittings

BFPWC020	Ø20mm
BFPWC040	Ø25mm
BFPWC025	Ø32mm
BFPWC032	Ø40mm
BFPWC050	Ø50mm



Wilkins Series 350 DCV - no fittings

BFPWILK020DC	Ø20mm
BFPWILK025DC	Ø25mm
BFPWILK032DC	Ø32mm
BFPWILK040DC	Ø40mm
BFPWILK050DC	Ø50mm

Backflow Prevention - Double Check Valves (DCV) - Flanged



Wilkins Series 350L DCV

BFPWILK080DC	Ø80mm
BFPWILK100DC	Ø100mm
BFPWILK150DC	Ø150mm
BFPWILK200DC	Ø200mm



Ames Series 2000SS

BFPASS080DC	Ø80mm
BFPASS100DC	Ø100mm
BFPASS150DC	Ø150mm

Backflow Preventors - Double Detector Check Valves - Flanged



Wilkins Series 350DA Double DCV

BFPWILK100DDC	Ø100mm
BFPWILK150DDC	Ø150mm

Backflow Preventors - Reduced Pressure Zone - BSP



Watts Bronze Series 009 RPZ - no fittings

BFPW015RPZ	Ø15mm
BFPW020RPZ	Ø20mm
BFPW032RPZ	Ø32mm
BFPW040RPZ	Ø40mm
BFPW050RPZ	Ø50mm



Watts Bronze Series 009 RPZ c/w fittings

BFPWC020RPZ	Ø20mm
BFPWC025RPZ	Ø25mm
BFPWC032RPZ	Ø32mm
BFPWC040RPZ	Ø40mm
BFPWC050RPZ	Ø50mm



Wilkins Series 375 RPZ - no fittings

BFPWILK020RPZ	Ø20mm
BFPWILK025RPZ	Ø25mm
BFPWILK032RPZ	Ø32mm
BFPWILK040RPZ	Ø40mm
BFPWILK050RPZ	Ø50mm

Backflow Preventors - Reduced Pressure Zone - Flanged



Wilkins Series 375L RPZ

BFPWILK065RPZ	Ø65mm
BFPWILK080RPZ	Ø80mm
BFPWILK100RPZ	Ø100mm
BFPWILK150RPZ	Ø150mm



Ames Series 4000SS RPZ

BFPASS065RPZ	Ø65mm
BFPASS080RPZ	Ø80mm
BFPASS100RPZ	Ø100mm
BFPASS150RPZ	Ø150mm
BFPASS200RPZ	Ø200mm

Backflow Preventor Accessories & Repair Kits

Wilkins BFP Complete Repair Kit for Series 975 RPZ c/w Springs



BFPWILK06975KIT	Ø6 - 15mm
BFPWILK20975KIT	Ø20- 25mm
BFPWILK3250CKIT	Ø32 - 50mm

Without springs



BFPWILK3250DKIT	Ø32-50mm
-----------------	----------

Wilkins BFP Complete Repair Kit for Series 350 DCV c/w Checks



BFPWILK020LKIT	Ø20mm
BFPWILK025LKIT	Ø25mm
BFPWILK3250LKIT	Ø32mm

Wilkins BFP Complete Repair Kit for Series 950 DCV c/w Springs



BFPWILK20950KIT	Ø20-25mm
BFPWILK03250KIT	Ø32-50mm

Wilkins BFP Rubber Repair Kit for Series 950 DCV



BFPWILK3250BKIT	Ø32-50mm
-----------------	----------

Wilkins BFP Complete Repair Kit for Series 375 RPZ c/w Checks Wilkins



BFPWILK020CRKIT	Ø20mm
BFPWILK025RKIT	Ø25mm
BFPWILK3250RKIT	Ø32mm

Wilkins BFP Rubber Repair Kit for Series 375 RPZ Wilkins

BFPWILK20RKIT	Ø20mm
BFPW3250375ROK	Ø32-50mm

Wilkins BFP Kits Series 375 RPZ

BFPWILK6515RKIT	Ø65-150mm Relief Kit c/w Springs
BFPWILK6515BKIT	Ø65-150mm Rubber Kit

Wilkins BFP Rubber Repair Kit for Series 350/375 DCV/RPZ

BFPWILK6580RKIT	Ø65 -80mm (Wilkins ONLY)
BFPWILK100RKIT	Ø100mm
BFPWILK150RKIT	Ø150mm

Wilkins Back Flow Preventor Test Cocks

BFPWILKTC025	1/4" x 1/4"
BFPWILKTC0125	1/8" x 1/4"

BFPTESTTAG	Back Flow Preventor Test TAG DCV / RPZ
------------	--

Singer Control Valves

	Code	Size / Description
Singer pressure reducing Valves		
	Reduced Bore Brass 1.38-13.8bar PN16 Singer	
	VC80PRV206S	Valve Control DN80 PRV 206
	VC100PRV206S	Valve Control DN100 PRV 206
	VC150PRV206S	Valve Control DN150 PRV 206
	Full Bore Brass 1.38-13.8bar PN16 Singer	
	VC80PRV106S	Valve Control DN80 PRV 106
	VC100PRV106S	Valve Control DN100 PRV 106
	VC150PRV106S	Valve Control DN150 PRV 106
	Reduced Bore Stainless 1.38-13.8bar PN16 c/w Gauge	
	VC80PRV206SST	Valve Control 80 PRV SST 206
	VC100PRV206SST	Valve Control 100 PRV SST 206
	VC150PRV206SST	Valve Control 150 PRV SST 206
	Full Bore Stainless 1.38-13.8bar PN16 c/w Gauge	
	VC80PRV106SST	Valve Control 80 PRV SST 106
	VC100PRV106SST	Valve Control 100 PRV SST 106
	VC150PRV106SST	Valve Control 150 PRV SST 106
Singer Pressure Sustaining Valves		
	Reduced Bore Brass 1.38-13.8bar PN16 Singer	
	VC80RPS206S	Valve Control DN80 RPS 206
	VC100RPS206S	Valve Control DN100 RPS 206
	VC150RPS206S	Valve Control DN150 RPS 206
	Full Bore Brass 1.38-13.8bar PN16 Singer	
	VC80RPS106S	Valve Control DN80 RPS 106
	VC100RPS106S	Valve Control DN100 RPS 106
	VC150RPS106S	Valve Control DN150 RPS 106
	Reduced Bore Stainless 1.38-13.8bar PN16 c/w Gauge	
	VC80RPS206SST	Valve Control 80 RPS SST 206
	VC100RPS206SST	Valve Control 100 RPS SST 206
	VC150RPS206SST	Valve Control 150 RPS SST 206
	Full Bore Stainless 1.38-13.8bar PN16 c/w Gauge	
	VC80RPS106SST	Valve Control 80 RPS SST 106
	VC100RPS106SST	Valve Control 100 RPS SST 106
	VC150RPS106SST	Valve Control 150 RPS SST 106

Consumables for Water Applications

	Code	Size / Description
Tape		
	TAPEJ50CT	Tape PVC Jointing 48mm x 30M
	TAPEINS	Insulation Tape 18mm x 20M
	TDS300	Warning Tape 50mmx300m "Sewer" Roll Buried Detector
	TDWA1	Warning Buried Water Pipe Detector Tape 50mm x 300M
Thread Tape		
	HD	Hemp Dressed 80g
	CG	Compound Graphite 450gm
	TC	Ceelon
	TC018	Ceelon 18mm
Denso PetrolatumTape		
	DENSOPT050	50mm x 10M
	DENSOPT075	75mm x 10M
	DENSOPT100	100mm x 10M
	DENSOPT150	150mm x 10M
	DENSOPT200	200mm x 10M
	DENSOPT300	300mm x 10M
Denso Self Adhesive Overwrap Tape for PVC		
	DENSOWRAP1	100mm x 30M
	DENSOWRAP1.5	150mm x 30M
Denso Mastic Light		
	DENSOML03	3.5 kg

Paint Road Marking Spray & Pens



Marker Spray Standard

PAINTSTDW	White
PAINTSTDY	Yellow
PAINTSTDR	Red

Marker Spray Upside Down

PAINTUSDB	Blue
PAINTUSDG	Fluro Green
PAINTUSDO	Fluro Orange
PAINTUSDP	Fluro Pink
PAINTUSDR	Fluro Red
PAINTUSDTP	Telecom Purple
PAINTUSDW	White
PAINTUSDY	Fluro Yellow

Permanent Line Marker

PAINTRMR	Red
PAINTRMW	White
PAINTRMY	Yellow

Paint Marker Pens

PAINTPENBLK	Black
PAINTPENBLU	Blue

other colours available

Lubricants for Potable Water Applications



LUBEPW0.5	475mL - 1Pint
LUBEPW1.0	1L - 1Quart
LUBEPW3.8	3.8L - 1Gal
LUBEPW19	19L - 5Gal

Lubricant - CRC Aerosol/Spray



LUBECRC110	420ml 5.56 Aerosol
LUBESS600	500ml 808 Spray CRC
CRCAB360	Air Brush 360 300g Aerosol CRC

Solvent Cement



SC0250P	250ml High & Low Pressure
SC0500P	500ml High & Low Pressure
SC1000P	1000ml High & Low Pressure
CF4000	Cleaning Fluid 4L
CF500	Cleaning Fluid 500ml

Consumables for Potable Pipeline Testing



CHLDEMAT24	Dechlorination Mat 24 Pocket
CHLDETLPD140	Dechlorination Tablets Pail of 154 Tablets 140g each

COMMERCIAL PLUMBING & BACKFLOW CATALOGUE

Issue: August 2025

Branches Nationwide Support Office and Technical Services 09 274 0316

Disclaimer: While every effort has been made to ensure that the information in this document is correct and accurate, users of Hynds product or information within this document must make their own assessment of suitability for their particular application. Product dimensions are nominal only, and should be verified if critical to a particular installation. No warranty is either expressed, implied, or statutory made by Hynds unless expressly stated in any sale and purchase agreement entered into between Hynds and the user.

0800 93 7473
hyndswater.co.nz

HYNDSwater

The logo graphic for Hynds Water, featuring a stylized, thick, dark grey curved line that starts under the 'H' and sweeps upwards and to the right, ending under the 'r'.